



Beyond the Bayley: Neurocognitive Assessments of Development During Infancy and Toddlerhood

Natalie H. Brito, William P. Fifer, Dima Amso, Rachel Barr, Martha Ann Bell, Susan Calkins, Albert Flynn, Hawley E. Montgomery-Downs, Lisa M. Oakes, John E. Richards, Larissa M. Samuelson & John Colombo

To cite this article: Natalie H. Brito, William P. Fifer, Dima Amso, Rachel Barr, Martha Ann Bell, Susan Calkins, Albert Flynn, Hawley E. Montgomery-Downs, Lisa M. Oakes, John E. Richards, Larissa M. Samuelson & John Colombo (2019): Beyond the Bayley: Neurocognitive Assessments of Development During Infancy and Toddlerhood, *Developmental Neuropsychology*

To link to this article: <https://doi.org/10.1080/87565641.2018.1564310>



Published online: 07 Jan 2019.



Submit your article to this journal [↗](#)



View Crossmark data [↗](#)



Beyond the Bayley: Neurocognitive Assessments of Development During Infancy and Toddlerhood

Natalie H. Brito ^a, William P. Fifer^b, Dima Amso^c, Rachel Barr^d, Martha Ann Bell^e, Susan Calkins ^f, Albert Flynn^g, Hawley E. Montgomery-Downs^h, Lisa M. Oakesⁱ, John E. Richards^j, Larissa M. Samuelson^k, and John Colombo^l

^aDepartment of Applied Psychology, New York University, New York, NY, USA; ^bDivision of Developmental Neuroscience, New York State Psychiatric Institute, New York, NY, USA; ^cDepartment of Cognitive, Linguistic, and Psychological Sciences, Brown University, Providence, RI, USA; ^dDepartment of Psychology, Georgetown University, Washington, DC, USA; ^eDepartment of Psychology, Virginia Tech, Blacksburg, VA, USA; ^fDepartment of Human Development and Family Studies, University of North Carolina at Greensboro, Greensboro, NC, USA; ^gSchool of Food and Nutritional Sciences, University College Cork, Cork, Ireland; ^hDepartment of Psychology, West Virginia University, Morgantown, WV, USA; ⁱDepartment of Psychology, University of California, Davis, CA, USA; ^jDepartment of Psychology, University of South Carolina, Columbia, SC, USA; ^kDepartment of Psychology, University of East Anglia, Norfolk, UK; ^lDepartment of Psychology, University of Kansas, Lawrence, KS, USA

ABSTRACT

The use of global, standardized instruments is conventional among clinicians and researchers interested in assessing neurocognitive development. Exclusively relying on these tests for evaluating effects may underestimate or miss specific effects on early cognition. The goal of this review is to identify alternative measures for possible inclusion in future clinical trials and interventions evaluating early neurocognitive development. The domains included for consideration are attention, memory, executive function, language, and socioemotional development. Although domain-based tests are limited, as psychometric properties have not yet been well-established, this review includes tasks and paradigms that have been reliably used across various developmental psychology laboratories.

ARTICLE HISTORY

Received 22 July 2018

Revised 15 December 2018

Accepted 17 December 2018

Introduction

Development occurs at a rapid pace during the first 3 years of life, with significant changes taking place in cognitive, language, and social skills during toddlerhood. The quality of both the learning environment and pro-social relationships contribute to a child's developmental trajectory and are the foundation for subsequent learning and development. Cognitive skills measured in early childhood show increasing levels of stability (Carlson, 2005; Posner & Rothbart, 2000) and associations with later academic outcomes (Alloway & Alloway, 2010; Fagan, Holland, & Wheeler, 2007). Therefore, accurate assessments of early neurodevelopment, particularly during toddlerhood, provide important measures of concurrent and future cognitive functioning. Compared to school-aged children, very young children are hard to assess reliably and validly due to limits in their motor, language, and socioemotional skills. Young children also show great variability within and across individuals, potentially reflecting the emerging differentiation of functional systems (Karmiloff-Smith, 2012).

The state of neurocognitive assessment of children up to 3 years of age has been neglected and inconsistently addressed in the current scientific literature. There is a need to build consensus around reliable tasks and best practices for such assessments in order to evaluate the efficacy of various early interventions. Agreement from the developmental science community would permit

more domain-specific measures to be utilized during clinical research trials. The purpose of this review is to identify candidate measures of a possible standard “toolkit” for inclusion in future clinical trials and interventions evaluating the effects of early neurocognitive development. Not all domains are covered and as the field of developmental psychology contains numerous potential candidates for inclusion, we focus on tasks and paradigms that have been reliably used within our own respective laboratories. The domains included for consideration in this age range (0–3) are attention, memory, executive function (EF), language, and socioemotional development. Sections include discussions across different levels of measurement (e.g., behavior, electrophysiology), with a concluding section devoted to additional variables of interest that may help to contextualize early neurocognitive findings. First, a brief overview of the most commonly used global assessment for early neurodevelopment, as well as example of a collection of domain-specific tasks for older children is presented.

Global assessments of early neurodevelopment

Most clinical studies or interventions have generally relied on global, standardized tests for evaluations of early learning and development. These tests are derived from normative developmental milestones, and generally assume the presence of a unique underlying factor which drives all individual differences in mental or behavioral performance (Uzgiris & Hunt, 1975). The implication here is that cognitive or mental status may be adequately quantified in terms of a single, overall composite score. These tests are advantageous in many ways. They are well-standardized, have established psychometric properties, are easily interpreted, and are generally well-known and widely accepted by clinicians, pediatricians, and health practitioners.

Although there are many global assessments of cognitive functioning during toddlerhood, the most widely used test of general neurodevelopment is the Bayley Scales of Infant and Toddler Development. This assessment, designed for children ages 1 month to 42 months, has been administered in both clinical and research settings. The scales are intended to assess three major areas of development: cognitive, language, and motor (Bayley, 1969, 2006). Although currently the most used option for assessments of general cognitive development, the Bayley scales are not without their limitations and criticisms. The Bayley is a fairly blunt instrument and may not pick up subtle deficits; studies have reported that the Bayley-III underestimates developmental delay (Anderson, de Luca, Hutchinson, Roberts, & Doyle, 2010; Moore, Johnson, Haider, Hennessy, & Marlow, 2012). Although the Bayley-III is designed to assess developmental delay, it is often used by researchers to predict individual differences in cognitive functioning. In addition, it is difficult to assess specific skills that may be particularly relevant to a certain treatment or intervention. For example, if the goals of a nutrition intervention were to improve infant sleep and subsequent memory performance, no specific scores for memory could be ascertained from this assessment and any effects specific to memory may be diminished by the infant’s poorer performance in other related cognitive skills.

Specific assessments of early neurodevelopment

Alternative conceptualizations of human cognition are based on process-based models derived from information-processing theory (Neisser, 1969). These assume that various cognitive processes are complexly determined and largely independent of one another. This assumption is supported by advances in neuroscience that show, for example, that cognitive functions like attention (Petersen & Posner, 2012; Webster & Ungerleider, 1998) and memory (Squire & Zola, 1996) are served by multiple functional networks. The disadvantages of process measures are often the opposite of the strengths of standardized tests: they are not standardized, often have unknown psychometric properties, are not easily interpreted, and they are not well known outside of basic developmental science communities in which they have been used. However, one particular advantage these

measures may have over more global measures of cognitive status is that they may be sensitive to more specific or to subtler delays or deficits in development.

Currently, there is no collection of specific tasks or assessments to evaluate early neurodevelopmental skills during toddlerhood. An assessment package designed to test specific cognitive skills in older children and adults has been developed by the NIH, and this assessment tool may serve as an example for future development of tasks specific to toddlerhood. The NIH Toolbox for the Assessment of Neurological and Behavioral Function was developed as part of the NIH Blueprint for Neuroscience Research in order to design a set of state-of-the-art measurement tools to enhance data collection in large cohort studies; the NIH Toolbox is not intended for use as a diagnostic tool. It assesses four major domain areas: cognitive, emotional, motor, and sensory health. Each domain is composed of multiple subdomains, which are functional constructs that are measurable representations of such (Gershon et al., 2013; Salsman et al., 2013; Weintraub et al., 2013; Zelazo et al., 2013).

The NIH Toolbox Early Childhood Cognition Battery was designed to provide a brief, efficient computerized test of key neuropsychological function for young children ages 3–6 years. The tests include: Dimensional Change Card Sort (DCCS; cognitive flexibility), Flanker Inhibitory Control and Attention, Pattern Comparison Processing Speed, Picture Sequence Memory (episodic memory), and the Picture Vocabulary (receptive vocabulary and language). In addition to individual task scores, the battery will yield an Early Childhood Composite Score as a general measure of early cognitive function (Weintraub et al., 2013; Zelazo et al., 2013). The NIH Toolbox is not, however, without its limitations. As part of a validation study, the Cognition Battery was administered to a sample of 1,020 typically developing children (ages 3–20 years) tested at 9 sites across the United States (Pediatric Imaging Neurocognition and Genetics, Akshoomoff et al., 2014). The researchers observed some ceiling effects in older children and some floor effects on the EF tasks in the younger participants. Specifically, the NIH Toolbox version of the DCCS was reported to be significantly limited in its use for measuring cognitive flexibility in children under the age of 7 and a small percentage of children were unable to meet the practice trial criteria for the Flanker Inhibitory Control and Attention Test (Akshoomoff et al., 2014). As all NIH Toolbox assessments are administered using a computer or touchscreen monitor, the child's proficiency in media use must be taken into consideration when evaluating reaction time or attention performance.

Need for alternative assessments of early neurocognitive development

Reliance on global measures of neurocognitive development can significantly impact the results and interpretation of studies that may play a role in decisions surrounding intervention efficacy or policy. For example, within clinical studies of nutrition, examining the impact of prenatal teratogens, infants exposed prenatally to alcohol show deficits in visual attention, but are not impaired in memory; conversely, infants exposed prenatally to polychlorinated biphenyls show deficits in memory but not in attention (Jacobson, Fein, Jacobson, Schwartz, & Dowler, 1985; Jacobson, Jacobson, Sokol, Martier, & Ager, 1993). Thus, if different compounds affect different cognitive systems, outcome measures will need to be selected carefully, and global tests may obscure specific delays or deficits. Indeed, a similar profile has emerged for the effect of various long-chain polyunsaturated fatty acids (LCPUFA) on early brain and behavioral development. LCPUFA are obtained from the diet, accumulates in brain tissue early in development, and have been widely thought to have potential beneficial effects on cognitive development. However, based on results from the Bayley Scales of Infant Development administered at 18 months of age, four recent meta-analyses on LCPUFA have concluded that there is no cognitive benefit of LCPUFA (particularly docosahexaenoic acid) supplementation (Beyerlein et al., 2010; Qawasmi, Landeros-Weisenberger, Leckman, & Bloch, 2012; Simmer, Patole, & Rao, 2011). This overarching negative conclusion has persisted, despite a number of positive findings suggesting specific benefits of LCPUFA on visual attention in infants and children (Carlson & Werkman, 1996; Colombo et al., 2004a; Colombo et al., 2011; Kannass, Colombo, & Carlson, 2009; McNamara et al., 2010; Vaisman et al., 2008; Werkman & Carlson, 1996;

Westerberg et al., 2010) and early manifestations of EF (Drover, Hoffman, Castaneda, Morale, & Birch, 2009; Henriksen et al., 2008; Judge, Harel, & Lammi-Keefe, 2007; Willatts, Forsyth, DiModugno, Varma, & Colvin, 1998). The following sections outline domain-specific tasks and assessments across different levels of measurement within the areas of attention, memory, EF, language, and socioemotional development.

Domain-specific outcomes

Attention

Attention plays a central role in learning and the acquisition of information. Individual differences in early attention are posited to reflect the speed and efficiency of information processing and these differences have been found to be related to later cognitive abilities (Colombo, 1993; Cuevas & Bell, 2014; Rose & Feldman, 1997). Attention is not a single unified construct, however, and assessments tap different aspects of attention. For example, some measures may reflect selection and aspects of attention related to information intake and processing. Other measures may reflect attentional control, or the ability to both use cues to guide attention and to inhibit irrelevant information. Nevertheless, given the ease of administering such tasks, and the large literature providing deep understanding into attentional processes in adults, attention outcome measures are extremely promising for the future of assessment of neurocognitive development.

Looking

Looking time and visual attention have been studied in infants since the 1950s. Visual behavior involves selection of some inputs and inhibition of others and may, therefore, provide broad insight into cognitive development (Colombo, 2001; Oakes, 2017). It also involves integration of multiple pieces of information and memory systems (Colombo, 2001; Colombo & Cheatham, 2006; Posner & Rothbart, 2007). Visual behavior reflects speed of processing (e.g., Messinger et al., 2017; Rose, Feldman, & Jankowski, 2002) and development of multiple brain systems (Colombo, 2001; Johnson & Vecera, 1996). Visual attention also can be measured in toddlers (Colombo, 2001), making it especially useful for assessing development over the first 3 years. Moreover, looking behavior is sensitive to developmental differences. In a longitudinal sample of full-term and preterm infants, results demonstrated more efficient patterns of attention for the full-term infants (i.e., shorter look durations, faster shift rates) than infants in the preterm group (Rose, Feldman, & Jankowski, 2001). In a separate line of work, infants who later develop autism show different visual scanning of faces in early infancy (Jones & Klin, 2013). Toddlers diagnosed with Autism Spectrum Disorder, Fragile X, or Williams Syndrome differ from typically developing children in their scanning of social and nonsocial stimuli, visual search, and disengagement (Kaldy, Kraper, Carter, & Blaser, 2011; Scerif, Cornish, Wilding, Driver, & Karmiloff-Smith, 2004; Scerif et al., 2005). These studies demonstrate how eye-tracking measures (i.e., fine-grained measures of where children/toddlers look, how long they look, changes in where they look, how fast children look, and what makes children look at one thing versus another) can provide significant insight into developmental and individual differences in visual attention. Importantly, eye-tracking systems are increasingly portable and can be used in clinics, for “off-site” recording (Ballieux et al., 2015).

Heart-rate defined phases of attention

A difficulty inherent in the use of visual behavior as a predictive measure is that not all looking reflects active visual cognition in the human infant. Respiratory and cardiac measures during looking have revealed that the degree of infants’ active processing varies systematically within a look (Richards, 1985, 1987; Richards & Casey, 1990, 1991). In fact, looks may be parsed into three different “phases” of visual attention: Orienting, Sustained Attention (SA), and Attention Termination. Of these phases, SA (a period of looking characterized by cardiac deceleration) is the one that reflects active stimulus processing. Specifically, SA, but not the other phases, correlates with

autonomic and behavioral measures that predict concurrent or lagged cognitive status from infancy, such as vagal tone (Linnemeyer & Porges, 1986) and successful recognition memory performance (Richards & Casey, 1990). The proportion of SA has been shown to decline over the first year (Colombo, Shaddy, Richman, Maikranz, & Blaga, 2004b), but maintenance of high levels of SA over that first year has also been reported to be associated with better language and cognitive outcomes in later childhood (Colombo et al., 2009). Heart rate changes occurring during stimulus presentation in infant participants represent an effective measure of the alerting and attentional systems of the human brain. Stimulus processing occurs primarily during SA, so that the precision of measures of infant cognitive processing could be supplemented by knowing when in a stimulus presentation SA could be occurring.

Cue competition paradigms

The Infants Orienting with Attention task is an attentional cueing task (Ross-Sheehy, Schneegans, & Spencer, 2015) that takes advantage of the fact that between 5 and 10 months of age infants increasingly are able to use a cue (in this case, a briefly presented black dot in one of two locations) to control attention. In this task, a cue is presented and then after a brief delay a target (in this case, a photograph of a real object) is presented either in the same location as the target or on the opposite side of the fixation. Infants, like adults, make faster eye-movements toward the target when it appears in the cued location rather than the non-cued location. This task is sensitive and engaging; although this task has not been tested in toddlers, it has good potential.

A second alternative task for toddlers is visual search. Versions of this task have been used with toddlers in studies of typical and atypical development (Gerhardstein, Adler, & Rovee-Collier, 2000; Kaldy et al., 2011; Scerif et al., 2004, 2005). In general, visual search measures selective attention, or the ability to balance the pull of competing stimuli on visual attention, as well as the inhibition of responses to distractors. Research has linked performance on this task to learning and perception in infants (e.g., Amso & Johnson, 2006). In toddlers, visual search tasks have successfully uncovered differences between atypically and typically developing children (Kaldy et al., 2011; Rose, Feldman, Jankowski, & Rossem, 2005; Scerif et al., 2004).

Memory

Learning and memory are inextricably linked; tests of learning are, in fact, tests of memory. Memory is the product of a series of learning processes that include encoding, storage, and retrieval. Although infants are often required to recall information under the same conditions in which they encountered it, termed memory recall, toddlers are also faced with the challenge of learning about their world from a variety of sources and must then apply what they learned to diverse problems. This ability to retrieve memories despite changes in perceptual cues, allowing learning to be generalized to novel situations, has been referred to as memory flexibility (Eichenbaum, 1997; Hayne, 2006; Karmiloff-Smith, 1994). Memory recall and flexibility profiles emerge gradually during development; early in development, successful memory performance is contingent on an exact match between the cues at the time of encoding and the cues available at retrieval. A mismatch at learning and test can decrease memory performance, but with age toddlers can increasingly tolerate differences between conditions at encoding and retrieval (for a review, see Barr & Brito, 2014).

Although there are many established methods for measuring memory (e.g., novelty preference memory tests), the focus here is on operant conditioning, visual recognition memory (VRM), and deferred imitation (DI), as these have the strongest empirical base and are the best predictors of cognitive outcomes (see Rovee-Collier & Barr, 2001, 2010). Among the principles employed to illustrate best practices for intervention tracking are (1) parameterization of tasks essential for reliable and valid assessment, (2) measurement of both memory recall and memory flexibility, (3) assessment of the

predictive validity of the measures, and (4) examination of memory as a possible precursor to other more complex cognitive outcomes.

Operant conditioning

Over the past 40 years, operant conditioning has been studied utilizing the mobile conjugate reinforcement and train tasks, resulting in an extensive empirical base (Rovee-Collier & Barr, 2001). In this task, 2- to 6-month-old infants learn to kick to move an overhead mobile. After obtaining a baseline measure of foot kicking, the infant's foot is tied to the mobile and the infant learns the contingency between foot kicking and mobile movement; long-term retention can then be assessed after a delay. During the long-term test, the infant is placed in the crib without the foot tied to the mobile and the rate of kicking is noted. Retention is assessed with a baseline ratio (test kick rate divided by the baseline kick-rate); ratios above 1.5 indicate retention. Forgetting is assessed with a retention ratio (long-term retention kick rate divided by the immediate retention rate). In order to allow for rapid changes in speed of learning, motor development, and motivation levels, baseline and training periods become shorter as infants and toddlers get older. To assess the same constructs in older children a "train task", has been used successfully with 6- to 18-month-olds; here, infants use their hands to press a lever to make a train move around a toy train track. Memory performance on operant tasks are predictive of later cognitive outcomes; Fagen and Ohr (1990) tested 3-, 7-, and 11-month-olds using the mobile and train tasks after a 1-week delay and found moderate correlations ($r = .40$ to $.50$) between their performance on these operant tasks as infants and their performance on standardized cognitive assessments at 2 and 3 years of age.

Operant conditioning methodology maps well to studies conducted with nonhuman populations, and there is a large body of existing empirical data on memory processing using this approach. Motor sensors may be incorporated to automate data collection with both the mobile and the train tasks. The disadvantage of operant memory tasks is that administration of the measure may take days to allow for training and test periods, although different types of associative learning conditioning protocols (see Fifer et al., 2010) have recently been adopted and have good predictive outcomes as well.

Visual recognition memory

Early information about infant memory came from VRM studies of looking patterns. The VRM paradigm exploits the fact that infants look more at novel stimuli than at familiar stimuli (Bahrick, Gogate, & Ruiz, 2002; Bahrick & Pickens, 1995; Rose, Feldman, & Jankowski, 2004). In a typical VRM procedure, an infant is familiarized with a visual stimulus (e.g., Bahrick et al., 2002; Bahrick, Hernandez-Reif, & Pickens, 1997; Bahrick & Pickens, 1995; Morgan & Hayne, 2006). This familiarization period usually occurs for a specified time, or until the infant's looking time accumulates to a predetermined level or decreases by a predetermined amount. After a delay, the familiar stimulus and a novel stimulus are presented simultaneously and the time that the infant spends looking at each is compared. If the infant looks more at the novel stimulus than at the familiar stimulus (i.e., shows a novelty preference), it is inferred that he or she remembers the familiar one. This task can be used from 6 months of age to 4 years, as well as across the lifespan (see Barr, Walker, Gross, & Hayne, 2014; Morgan & Hayne, 2006). As with the operant conditioning paradigm, parameters of the task and retention of the task change as a function of age. VRM can also be assessed across modalities (Rose, Gottfried, & Bridger, 1978). For example, Rose et al. (1978) gave infants the opportunity to tactually explore an object without seeing it and then gave infants a visual recognition task. Such cross-modal measures provide a measure of memory flexibility. Like the operant conditioning task, VRM has been reported to predict later outcomes (e.g., Rose, Feldman, & Jankowski, 2009; Rose et al., 2005). Measures of VRM have been reported to correlate well with other measures of memory, with stability from 2 to 3 years, as well as continuity from infancy through toddlerhood (Rose et al., 2005). Performance on the VRM task has been reported to predict performance on the Bayley Mental Development Index, a global measure of cognitive ability administered at 3 years (Rose et al., 2009), as well as IQ at 11 years (Rose, Feldman, Jankowski, & van Rossem, 2012; see also

Burbacher & Grant, 2012; Jacobson, 1998; McCall & Carriger, 1993). The VRM task is relatively quick to administer. Measurement using eye tracking has become more common and is recommended as an automated, finer-grained method for data collection (Aslin, 2007). It should be noted that these studies have not gone without criticism regarding which cognitive processes researchers are actually measuring and reporting (e.g., Oakes, 2010).

Deferred imitation

DI is a nonverbal memory paradigm used during early infancy and prior to early childhood starting at 6 months through at least 3 years of age using the age appropriate parameterization. DI provides an optimal measure of memory in preverbal infants because it requires the infant to encode, retain, and retrieve a memory – all without the production of language. In this paradigm, infants (1) see a model demonstrate target actions on an object, (2) internalize the representation of the actions, and then (3) reproduce those actions after a delay (Piaget, 1962). For example, in the widely used puppet imitation task (Barr, Dowden, & Hayne, 1996), a child sees the experimenter remove a mitten from the puppet's hand, shake it to ring a bell inside, and replace the mitten on the puppet's hand. This sequence takes 10 s and is shown multiple times, with demonstration time varying with the age of the child (e.g., 6 times for 6- and 9-month-olds, 3 times for 12- to 24-month-olds). During the DI test, the infant is given an opportunity to imitate the modeled actions. Overall, baseline performance (i.e., spontaneous production of the target actions) on this task is very low during infancy and has been established across multiple studies. The imitation score is the number of target actions reproduced within a set time limit (e.g., 120 s for 6–9 months; 90 s for 12–24 months) to reproduce the target actions. To test memory flexibility, infants may also be shown a demonstration of target actions and then tested with a functionally equivalent but perceptually novel object.

Rose et al. (2005) tested 1-, 2-, and 3-year-old infants on DI tasks and found that cross-age correlations were highest between 2 and 3 years. DI during the first 2 years of life also predicts overall cognitive performance at 4 years (Strid, Tjus, Smith, Meltzoff, & Heimann, 2006) and memory performance and school readiness at 6 years (Riggins, Cheatham, Stark, & Bauer, 2013). The DI paradigm is very practical for use in infants and toddlers; this is a relatively quick task, only taking a few minutes and attrition rates are low. The task also has predictive validity and discrimination. Performance is correlated across ages and is predictive for cognitive outcomes at age 4 years. However, the range of scores that can be produced from typical DI tasks is limited; researchers may need to consider combining different tasks and potentially creating memory composites with other types of memory tasks in order to increase the variability of outcomes to better predict long-term cognitive outcomes.

Executive functions

EFs are a set of general-purpose control mechanisms that regulate goal-directed behavior (Best & Miller, 2010) and are associated with prefrontal cortex function. The most popular framework for EF (Diamond, 2013; Miyake et al., 2000) posits three foundational components: updating (the constant monitoring and rapid addition/deletion of information in *working memory*), inhibition (the purposeful overriding of prepotent responses, also called *inhibitory control*), and shifting (the ability to switch between tasks or mental sets, also called *cognitive flexibility*). The components are correlated with each other to some degree, but do not appear to constitute a completely unitary construct (Best, Miller, & Jones, 2009; Miyake & Friedman, 2012). A common issue in the EF literature is the use of complex tasks that tap into multiple components; for simplicity, researchers typically classify complex tasks by a single EF construct (Miyake et al., 2000). Confusion arises when a task is labeled as a particular EF component by one research team and is then labeled as a different EF component by another research team (e.g., Bell, 2012; Diamond, 2013; Garon, Bryson, & Smith, 2008). Many researchers work around this issue by creating composite measures of EF (e.g., Cuevas et al., 2014). Similarly, researchers may use the terms of EF, self-regulation, and effortful control interchangeably, leading to debate over underlying components

(McClelland & Cameron, 2011). As a result, in the developmental literature, there have been continued calls for conceptual clarity for the constructs of self-regulation, EF, and effortful control (Liew, 2012; McClelland & Cameron, 2012; Zhou, Chen, & Main, 2012).

The development of both the prefrontal cortex and EF is protracted through childhood and early adulthood, with performance on EF tasks exhibiting moderate stability in individual differences by 4 years of age (e.g., Kochanska & Knaack, 2003). Substantial research has revealed that EFs are critical to aspects of optimal development. During early childhood, EFs are related to school readiness (Bierman, Torres, Domitrovich, Welsh, & Gest, 2009; Blair & Peters, 2003) as well as concurrent and future reading and mathematics performance (e.g., Blair & Razza, 2007; Bull, Espy, & Wiebe, 2008; Clark, Pritchard, & Woodward, 2010; St Clair-Thompson & Gathercole, 2006). As noted earlier, performance on EF tasks is linked with prefrontal cortex. This means that development of the prefrontal brain area parallels developmental changes in performance on EF tasks. It is likely that other brain areas are also involved, but EF tasks are typically discussed with respect to frontal functioning and development.

Inhibitory control

Inhibitory control is perhaps the most widely studied EF in young children (Garon et al., 2008; Petersen, Hoyniak, McQuillan, Bates, & Staples, 2016). Most measurements include a simple response inhibition task, such as the delay of gratification task, which is valid from 24 months of age. Here, children are told they may eat one marshmallow now, or if they wait until the experimenter returns, they may have two marshmallows. This is coded for whether the child waits for the experimenter to return to eat the marshmallow (yes/no) and also the latency for duration until the marshmallow is eaten. Length of delay varies with age of child. The tongue task (Kochanska, Murray, & Harlan, 2000) is valid from 22 months on and requires children to hold a goldfish cracker on their tongue without chewing it (typically, three trials are used with delays of 10, 20, and 30 s). Performance is the proportion of successful trials. The crayon/gift delay procedure (Calkins, 1997) is detailed in Morasch and Bell (2011) and is also valid from 22 months on. Toddlers are presented with a box of crayons and a blank piece of paper. Before the child touches the crayons, the child is informed that the experimenter needs to leave the room. The toddler is instructed not to touch the crayons, box, or paper until the experimenter returns. The experimenter leaves the room for 60 s. Toddlers' behavior during the delay is scored with a 0 (colors with crayons), 1 (takes crayons out of box), 2 (picks up box), 3 (touches box), 4 (touches paper), or 5 (does not touch). Latency to touch is also measured.

Complex response inhibition tasks include a variation of the Stroop task (valid from 22 months on), where children are first shown six cards depicting three small and three large fruits and are asked to point to each in turn to ensure they know the names and sizes of the fruits (e.g., "Show me the big apple"). They are then shown three cards each depicting one of the small fruits embedded in one of the larger ones and asked to point to each of the small fruits in turn (e.g., "Show me the small apple"). The score consists of the number (0–3) of small fruits correctly pointed to (Kochanska et al., 2000).

Working memory

Working memory is holding information in mind and mentally working with it or updating it (Diamond, 2013; Garon et al., 2008). Tasks for measuring this construct in toddlers include Spin the Pots/Stationary Pots (valid from 15 months), in which distinct opaque cups are placed upside down and equidistant on a revolving tray called a lazy Susan (Brito, Grenell, & Barr, 2014; Hughes & Ensor, 2005). An object is placed under a cup, and then the child is allowed to find the object, either in a stationary position or after the cups have been rotated. Scoring on the task includes the number of reaches to retrieve all items and the number of consecutive reaches to same item. Another widely used measure for this construct is the A-not-B/Delayed Response task (from 6 months) and the A-not-B Invisible Displacement task (from 15 months); however, these tasks also require some degree of inhibitory control (Cuevas, Watson, Deater-Deckard, & Bell, 2012; Morasch & Bell, 2011, but see also Thelen, Schöner,

Scheier, & Smith, 2001 for dynamic systems theory explanations). In the original version of this task (Piaget, 1954), the experimenter hides a toy at location A (it is covered with a cloth) and then allows the infant to search for it. Subsequently, the experimenter then hides the toy at location B. When a delay is imposed, the infant will typically perseverate and search for the toy at location A. If no delay is imposed, infants usually search correctly for the toy at location B. For the A-not-B task, the infant's performance determines the hiding pattern, whereas when measuring the Delayed Response there is a predetermined hiding pattern (Bell, 2012).

Cognitive flexibility

Cognitive flexibility (a.k.a., set shifting) builds on working memory and inhibitory control. It involves a changing perspective or approach to a problem or flexibly adjusting to new demands, rules, or priorities (Carroll, Blakey, & FitzGibbon, 2016; Diamond, 2013; Garon et al., 2008). The DCCS task has been used as young as 2.5 years of age (Blakey, Visser, & Carroll, 2016) and requires children to sort cards, usually depicting colored shapes, into trays. The children must sort by one rule first (e.g., shape), then they are instructed to sort by a different rule (e.g., color). Most 3-year-olds are able to sort by the first rule, but once that is changed, often continue to sort by the first rule – seemingly unable to update the rules of the game and thus make perseveration errors. Four-year-olds, however, are able to switch rules and sort by the second rule successfully. These age-related changes in performance on DCCS are typically interpreted as evidence of prefrontal cortex development. Recent work using Dynamic Field Theory, however, shows that simple manipulations of the dimensions and features of the card stimuli can improve the performance of 3-year-olds (Buss & Spencer, 2014). There has been recent criticism that cognitive flexibility is poorly defined and tasks like the DCCS require children to utilize other developing cognitive skills (e.g., selective attention, working memory, inhibition) and more clearly defined or versatile tasks tapping into cognitive flexibility are needed (Carroll et al., 2016).

Other considerations

In adults, EF is described as having three latent factors, but evidence suggests a single factor for young children (e.g., Wiebe, Espy, & Charak, 2008). Relations between EF tasks seem to change with age (Miller & Marcovitch, 2015), and EF tasks do not inter-correlate before age of 2 or 3 (Diamond, Prevor, Callender, & Druin, 1997). Stability in EF performance is typically seen by age 4 (Jones, Rothbart, & Posner, 2003; Kochanska & Knaack, 2003). Current data suggest that infant EF tasks do not correlate with older child EF tasks; however, Rose, Feldman, and Jankowski (2012) suggest that measures of attention, processing speed, and recognition memory from 7 and 12 months predict EF at 11 years. This finding has been replicated using attentional efficiency at 5 months and EF at ages 2, 3, and 4 years (Cuevas & Bell, 2014).

Language

Language, like other aspects of cognition, is often viewed as composed of many separable components or sub-processes: a phonological system, a dictionary-like lexicon, rules for syntax and grammar, and culturally or contextually shaped aspects of pragmatics. However, the development of these various components has been shown to shape and influence each other (Bates & Goodman, 1997). There is growing appreciation of the dynamic nature of language (Christiansen & Chater, 2016; Elman, 2004); (Gogate, Walker-Andrews, & Bahrick, 2001), of the role of general cognitive processes in language development (Gogate & Maganti, 2016; Ibbotson & Tomasello, 2016; McMurray, 2016; Samuelson & McMurray, 2016; Smith, 2013), and the role of different environments and cultures in supporting differing developmental trajectories (Hoff, 2006). These points carry two critical implications for early language assessment. First, a more complete picture of a child's language capabilities may be captured by measurement of the more general processes that support language, rather than by end-state markers of the attainment of, for example, a particular bit of knowledge (e.g., a word, or a grammatical construction). Second, it is critical to measure language in context and as part of a communicative

system that is supported by both the represented knowledge the child has gained and by the people and things in the environment that elicit the conversation.

Vocabulary

The MacArthur-Bates Communicative Development Inventory (MCDI) is a standardized caregiver-report vocabulary inventory (Fenson et al., 1994). The MCDI is used widely in the field to measure word learning and language development from 10- to 30-months-of-age. There are 2 forms, one covering infant development from 10 to 18 months, and another covering toddler development from 16 to 30 months of age. These initial versions of the MCDI have since been expanded to include a third, scaled, form for older children, as well as translations into multiple languages (<http://mb-cdi.stanford.edu>). The MCDI is widely used with ongoing efforts by multiple researchers to create large, searchable databases of vocabulary data from forms completed by prior studies (<http://wordbank.stanford.edu>). The advantages are that this measure is validated, reliable, relatively quick, and incorporates a range of words and communicative components from gestures and sound effects to various lexical classes and components of syntax and grammar. Data gained via the MCDI have provided the well-known picture of rapid vocabulary development in the late-infancy and toddler years and the transitions from single words into the two-, and later, three-word utterances that are the beginning of grammar and complex sentence forms. Furthermore, because there are large normative databases associated with the MCDI, it has also been used to examine vocabulary and grammar development in children with a range of skill levels and link language abilities to other aspects of cognitive development (see <http://wordbank.stanford.edu/publications>, for examples).

These positive points notwithstanding, other factors must be considered with respect to use of the MCDI for cognitive assessment. First, because the MCDI is a caregiver-based checklist, it relies on caregivers' recall of instances of their child understanding or producing each of the large number of words on the list. Thus, it may miss words that are used less often or are less likely to be recalled, such as verbs (Sandhofer, Smith, & Luo, 2000). To more accurately estimate the total vocabulary of children based on the MCDI caregiver report, Mayor and Plunkett (2011) developed a corrective algorithm. Second, the criteria used to determine if a child knows a word can differ across caregivers and, indeed, may vary across the same caregiver from time to time (e.g., when the child is younger and older). Third, the MCDI checklist is fixed: it contains the 680 words most likely to be known by a 30-month-old child in the 1990s and thus misses some words that more recently have become common in the vocabularies of more modern toddler cohorts. Fourth, the lengthier and older version of the MCDI can take a very long time to complete as the child's vocabulary reaches the upper limits of the form, which can also influence caregiver report and extend beyond the caregiver's ability to recall.

It is also the case that the reliability and validity of the infant version of the form, that measures receptive vocabulary, has been questioned (Feldman et al., 2000; Tomasello & Mervis, 1994). In response, a number of laboratories have worked to develop performance-based measures of comprehension that can be used with infants in their second year. Friend and Keplinger (2003) report the development of a Computerized Comprehension Task that has subsequently been validated in both English- and Spanish-leaning infants (Friend & Keplinger, 2008). These assessments provide a more direct measure of infant knowledge and suggest the potential of efficient, portable tests of early vocabulary development. That said, like the original MCDI, these focus on the end state of the word learning process; quantifying the number of words a child comprehends or produces rather than measuring the process of word learning (but see Hendrickson, Mitsven, Poulin-Dubois, Zesiger, & Friend, 2015). In the context of assessment, particularly when following earlier intervention, it may be worthwhile to measure the processing steps that occur before words are fixed in the lexicon. The Quick Interactive Language Screener (QUILS; Golinkoff, De Villiers, Hirsh-Pasek, Iglesias, & Wilson, 2017) is web-based screening tool that includes measures of language process in addition to vocabulary and syntax. Thus, this recently developed tool aims to provide a broader assessment of children's language ability than vocabulary checklists. The basis of QUILS is a fast-mapping task very

similar to referent selection and retention tasks that have received much recent attention in the literature. This recent work builds on an extensive history to research on early word learning in infants and children and has highlighted the complexity of measuring word learning abilities. Detailed review of this literature is beyond the scope of this review, rather we focus on recent developments that point to important considerations for the accurate assessment of word learning abilities.

Reference selection and retention tasks

Reference selection tasks present the child with a visual scene and ask them to indicate a referent using a novel word. Variants of this kind of task in which infants are shown two pictures and a familiar word are played, have been used to show that infants as young as 6–9 months of age have some knowledge of common nouns (Bergelson & Swingley, 2012). Other variants ask children to make new mappings “on-line” as the task unfolds. For example, Samuelson and Horst (2008) presented 24-month-old children with 2 items for which the child’s caregiver indicated they knew a name (e.g., a book and a cat) and one novel item (a unique top) and asked children to “get the blicket.” Children were very good at choosing the novel item (i.e., the top), onto which the novel word (i.e., “blicket”) had been mapped. Retention of this mapping can be assessed by asking children to “find the blicket” after a 5-min coloring break, and in the context of 2 other novel items to which children had just mapped words.

Samuelson and Horst (2008) procedure used 3-Dimensional objects and asked children to make a reaching selection. However, similar tasks using looking or pointing to a visual display have been used with younger children. Differences in the response required of children, not surprisingly, lead to differences in the what is concluded about children’s abilities. In particular, in some looking or pointing tasks 17-month-old infants demonstrate both successful referent selection with novel words and retention of those new name-object mappings (e.g., Halberda, 2003, but see Bion, Borovsky, & Fernald, 2013). In contrast, in reaching versions of the tasks 18-month-old toddlers do not perform well on reference selection or retention (Kucker, McMurray, & Samuelson, 2018), 24-month-olds perform well on reference selection, but they do not retain the mappings (Samuelson & Horst, 2008), and by 30 months of age children are good at both (see Kucker, McMurray, & Samuelson, 2015a for a review and discussion). Both reference selection and retention, however, can be influenced by a number of external and organismic factors (see e.g., Axelsson & Horst, 2014; Kalashnikova, Escudero, & Kidd, 2018; Kucker & Samuelson, 2012; Pomper & Saffran, 2018, Twomey, Ranson, & Horst, 2014). Still other research indicates that children as young as 13 months of age can map and, in some cases, retain novel word-object mappings when only one name and one object are presented at a time (Schafer & Plunkett, 1998; Woodward, Markman, & Fitzsimmons, 1994). However, infant success in these tasks depends on factors ranging from whether mappings are reviewed just prior to a retention test, the length of the delay between mapping and retention probes, and the familiarity of the stimuli (see Samuelson & Horst, 2008 for review). It seems clear that these data are best understood in terms of both situational and developmental processes (Kucker, McMurray, & Samuelson, 2015b), which implies that even small changes in what the child knows can change what they can do the next time they are presented with the task; over longer timescales, small bits of learning have the opportunity to result in large changes in behavior. Thus, assessment of these abilities must be sensitive to a host of factors including when a given ability is assessed, that can potentially support or hinder the performance of individual children and may do so in different ways for different groups, in particular children at higher risk for developmental delays.

Novel noun generalization

After the child has mapped and retained a link between a particular object and word, they typically expand the mapping to encompass more instances of the named category. These abilities are often studied with a generalization task using novel nouns. Here, the child is presented with an unfamiliar object that is named. Test objects that match the named exemplar in various properties (shape or

material only, shape and color but not material) are then presented and the child is asked which can be called by the name used for the exemplar. Data suggest that, by 24 months of age, children presented with a solid, rigid exemplar will pick test objects that are the same shape as the named exemplar (Landau, Smith, & Jones, 1988). However, children's generalizations have again been shown to be influenced by a variety of external and organismic factors. Changes in the nature of the response (Samuelson, Schutte, & Horst, 2009), the characteristics of the stimuli, changes in the syntactic frame of the question (Soja, 1992), and interactions with the properties of the objects (Smith, Jones, & Landau, 1996) will affect performance, as will the specifics of an individual child's vocabulary (Jones, 2003; Perry & Samuelson, 2011). Furthermore, teaching 18-month-old children names for solid things in categories well organized by similarity in shape can create a precocious *shape bias* and lead to a subsequent acceleration in vocabulary development (Samuelson, 2002; Smith, Jones, Landau, Gershkoff-Stowe, & Samuelson, 2002). Thus, children make decisions about word meaning based on the presented stimuli and their accumulated knowledge, and over time these behaviors can be changed as small bits of learning accumulate. Behavior is context-bound and knowledge is dynamic; thus, to see what a child knows the investigator should focus on accessing the processes of learning. This is critical for understanding the development of vocabulary and language, but also for the design of new tools to measure that development.

Other new tools for language measurement

Our growing understanding of the general processes that shape word learning and language development has enabled new ways of probing what children know. One example is a supportive form test developed by Gordon and McGregor (2014) for 4- to 6-year-olds. This test was inspired by recent work showing that children can use encoded information about what objects were seen where to link novel names to novel referents in ambiguous situations (Samuelson, Smith, Perry, & Spencer, 2011). This task begins in a similar way to the novel noun generalization task. The child is introduced to a novel object that is named. The change comes when the child is later asked to recall that name. During this portion of the task they are shown a sheet of paper with three dots along with the previously named exemplar. The experimenter points to the exemplar and says "Do you remember what this was called?" "Was it the blicket?" (pointing to the first dot), "the blocket?" (pointing to second dot), "or the gazzer?" The child indicates their response by pointing to one of the dots. This task reduces the production demands of recall. Gordon and McGregor (2014) have shown that it can be successfully used with children who are delayed in their vocabulary development, thus providing new insight into atypical developmental outcomes.

Another innovation in assessment of early language development is the use of looking-while-listening and eye-tracking procedures. These are based on a large body of research on adult sentence processing that documents how looking behaviors are coupled to speech processing on a fine-grained timescale (Tanenhaus, Spiveyknowlton, Eberhard, & Sedivy, 1995). Examination of infants' real-time looking behaviors during verbal processing or referent selection tasks has revealed a significant increase in processing efficiency between 15 and 24 months of age, as children learn more words (Fernald, Pinto, Swingley, Weinberg, & McRoberts, 1998; Fernald, Zangl, Portillo, & Marchman, 2008). Furthermore, processing efficiency at 19 months has been shown to mediate the relation between early language input measures and vocabulary size at 24 months in both English- and Spanish-learning infants and to predict measures of language, cognition, and working memory at 8 years. Based on this work, a number of laboratories are using eye-tracking to examine the children's visual exploration and attention during word learning tasks such as referent selection (Roembke & McMurray, 2016; Yu, Zhong, & Fricker, 2012) and novel noun generalization (Lorenz, Mattis, & Samuelson, 2016). These procedures hold the potential for a new view of the underlying decision-making processes as children integrate information presented in the task with their prior knowledge when learning words.

Socioemotional development

Emotional and social skills in toddlerhood are key to successful family and peer relationships, academic achievement, and mental health (cf. Beebe & Lachmann, 2013; Brownell & Kopp, 2007; Eisenberg et al., 1996, 1995; Tronick, 2007). Implicit in such interest in socioemotional competence is the notion that early skills and abilities may forecast a child's success or failure in the larger worlds of school and peer relationships, and may ultimately be indicators of life success, such as educational attainment, income, and health (Moffitt et al., 2011). At its core, socioemotional competence refers to how successfully a child (1) is able to form and maintain relationships with others, and includes specific skills such as joint attention, affect sharing, attachment, social play, and social skills (Burt, Obradovic, Long, & Masten, 2008), and (2) expresses, labels, understands, and manages emotions (Denham, 1998). The next sections provide a brief review of a representative sampling of socioemotional assessment tools, as well as a conceptual framework for understanding the broader interindividual and intraindividual contexts in which these skills develop.

Screening and diagnostic tools

These instruments provide global indicators of a child's functioning but are less well-suited for measuring specific skill development. The best screening assessments, which are brief, developmentally appropriate, and easy to administer and interpret (Carter, Briggs-Gowan, & David, 2004) include the Ages and Stages Questionnaires: Social Emotional (ASQ-SE; Squires, Bricker, & Twombly, 2002) and the Toddler Behavior Screening Inventory (TBSI; Mouton-Simien, McCain, & Kelley, 1997). Both are caregiver-reported assessments, which cover the toddler period (ASQ-SE: 6 to 60 months; TBSI: 12–41 months).

Comprehensive socioemotional assessments

More comprehensive assessments that include both caregiver-reports and observed behavior are often utilized in research. However, there are relatively few socioemotional caregiver-reported questionnaire measures that demonstrate adequate psychometric properties. Commonly used measures that have been shown to be reliable and valid include the Child Behavior Checklist for 1.5–5 Years (CBCL 1.5–5; Achenbach & Rescorla, 2000), the Infant-Toddler Social and Emotional Assessment (ITSEA; Carter & Briggs-Gowan, 2006a), the Brief Infant Toddler Social Emotional Assessment (BITSEA; Briggs-Gowan, Carter, Irwin, Wachtel, & Cicchetti, 2002), and the Toddler Behavior Assessment Questionnaire (TBAQ; Goldsmith, 1996). The CBCL is a 99-item checklist that assesses socioemotional/behavior problems in three domains (internalizing, externalizing, and total problems). The ITSEA is a 166-item, parent-report assessment measure used to identify social-emotional and behavioral problems (internalizing and externalizing) and competencies. The BITSEA is a shorter version of the ITSEA, with only 42-items that assesses socioemotional behavior problems and specific competencies. The 12 items with the highest loading on each of the ITSEA subscales, as well as 30 items chosen by an expert panel, together comprise the BITSEA. The TBAQ is a 108-item measure that is intended for toddlers aged 16–35 months, and assesses activity level, expression of pleasure, social fearfulness, anger proneness, and interest/persistence. However, it is a tool designed to capture individual differences in emotional expression, rather than skill development in the emotional domain.

Laboratory measures of socioemotional function

Laboratory tasks that elicit behaviors of interest may be a more useful tool for assessing socioemotional functioning in infants and toddlers. For example, the Kusche Affective Interview-Revised (Kusche, Greenberg, & Beilke, 1988) consists of a series of open-ended questions assessing meta-cognitive understanding of emotion, and Denham and colleagues (Denham & Couchoud, 1990) developed a puppet task to assess young children's emotion knowledge. The Laboratory Temperament Assessment Battery is one of the most commonly used behavioral assessments used

for research purposes and is composed of tasks that simulate everyday situations in which individual differences in the expression of emotion, activity level, and regulatory behavior can be observed (Goldsmith & Rothbart, 1999).

A battery of observational tasks may be used to assess young children's emotional reactivity and regulation strategies during specific kinds of challenges that mimic everyday situations (Calkins & Dedmon, 2000; Calkins, Graziano, Berdan, Keane, & Degnan, 2008). Experimenters may elicit positive affect by engaging children in a game of peek-a-boo or by blowing bubbles; fear may be elicited by encouraging children to touch a large realistic moving spider; frustration can be elicited by asking children if they would like a snack, then presenting the child with a clear plastic container of cookies on the table that cannot be opened. To assess a number of emotion-related skills, these episodes are scored, for example, on the latency, duration, and intensity of particular affective reactions to gauge how responsive the child is under specific conditions of challenge. Global scores of children's emotion regulation, as well as specific adaptive (i.e., distraction and help-seeking) and maladaptive (i.e., physical and verbal venting) emotion regulation strategies are also scored. The use of specific types of strategies has been found to change with age (Bandon, Calkins, Keane, & O'Brien, 2008) and children with better developed emotion regulation skills are more successful in other domains of functioning such as academic achievement and success with peers (Calkins & Dedmon, 2000; Howse, Calkins, Anastopoulos, Keane, & Shelton, 2003; Marcovitch et al., 2010). Significant associations between observed socioemotional skills and young children's cognitive abilities have been reported (Graziano, Calkins, & Keane, 2011), which suggests that there is some interdependence between the domains of emotion and cognition (Calkins & Bell, 2010), although they may be measured in quite different ways.

Additional predictors, mediators, or outcomes of interest

Brain measures

The following section describes several measures or measurement strategies based on direct assessment of brain activity and brain development.

Heart rate variability

Precise and timely assessments of neurodevelopmental trajectories and their underlying constructs, including attention, memory, and emotion regulation, are significantly enhanced by combining behavioral measures with relatively noninvasive and cost-effective psychophysiological assessments. Specifically, longitudinal measurement of autonomic regulation as assessed by heart rate variability (HRV) at rest has emerged as an ideal tool for quantifying brain-behavior development. For example, measures of high frequency HRV, as measured by quantifying respiratory sinus arrhythmia in infants, have been positively correlated with working memory (Marcovitch et al., 2010), shorter visual fixation duration (Richards, 1985), and increased attention in young children (Huffman et al., 1998). The degree of ANS maturation is linked to many aspects of psychological function and repeated measurement of patterns of HRV at rest could provide a reliable and sensitive marker of the effects of interventions on neurobehavioral trajectories.

Electroencephalography

Assessments of power and coherence in electroencephalographic (EEG) activity are efficient and reliable methods for examining developmental changes in brain-behavior relations in infancy and early childhood (Bell & Cuevas, 2012; Isler et al., 2012; Pisani, Copioli, Di Gioia, Turco, & Sisti, 2008; Richards, Reynolds, & Courage, 2010). EEG provides quantifiable measures of neural activation (i.e., EEG power) and functional cortical connectivity between distinct neural regions (i.e., EEG coherence) and measures the number and strength of synaptic connections, the level of neural connectivity, and the degree of maturing brain organization (Marshall, Bar-Haim, & Fox, 2002; Silberstein, Song, Nunez, & Park, 2004;

Thatcher, North, & Biver, 2005). Neural oscillations as assessed by EEG power and coherence, particularly in frontal regions, are linked to performance (both low and high) on tasks tapping into EF, cognition, speech, and language skills (Brito, Fifer, Myers, Elliott, & Noble, 2016; Gou, Choudhury, & Benasich, 2001; Marshall, Reeb, Fox, Nelson, & Zeanah, 2008; Molfese, Morse, & Peters, 1990; Saby & Marshall, 2012; Tierney, Gabard-Durnam, Vogel-Farley, Tager-Flusberg, Nelson, 2012; Williams et al., 2012). Stability of high frequency EEG gamma activity from the newborn to toddler periods has been reported to be associated with language ability (Gou et al. 2011) and resting frontal EEG gamma power in toddlers is linked to cognitive abilities at 4 and 5 years of age (Benasich, Gou, Choudhury, & Harris, 2008; Gou et al., 2011). Some obstacles to overcome in using EEG with toddlers are that infants and toddlers may not cooperate with putting or keeping the net on their heads and they often move. The development of easy measures of EEG electrode application and ensuring reduced movement artifact are both key to obtaining quality neural activity data.

The neurodevelopmental MRI database

There are extreme changes in brain size, synaptogenesis, and myelination in the first year, followed by gradual increases in brain and head size in the second year. The second year signals the beginning of a long series of gradual differentiation of neural growth from about 13 months through puberty; including synaptic differentiation through experience-dependent synaptic pruning and network connectivity through axonal myelination. While there is an empirical literature on neuroimaging and brain measurement during the first year (Fillmore, Richards, Phillips-Meek, Cryer, & Stevens, 2015), there is precious little information in this domain during the second year of life. A database that may be used for neuroimaging studies has been constructed (Richards, Sanchez, Phillips-Meek, & Xie, 2015; Richards & Xie, 2015). The Neurodevelopmental MRI Database (<https://tinyurl.com/MRIDatabase>) provides neuroimaging tools that can be used with infants in the first and second year of life, provides actual data for examination of neurodevelopmental changes in infants and beyond, and is useful for a range of neuroimaging studies (structural MRI, DTI, connectivity). Procedures for structural MRIs in infants from 13 to 24 months need to be developed and should also be accompanied by further enhancement of the average MRI templates in the Neurodevelopmental MRI Database for use in the second year.

Sleep

The role of sleep in infant and toddler neurobehavioral development cannot be overstated. The distinct physiologic sleep states, and the cycle into which they are organized, during both daytime naps and nocturnal periods, are critical for learning, memory, growth, immune functioning, and ultimately for survival (see Gómez & Edgin, 2015; Huber & Born, 2014; Lushington, Pamula, Martin, & Kennedy, 2013). The so-called typical patterns of infant sleep are sometimes over-generalized (for more detail, see Montgomery-Downs, 2008); there are currently no data upon which to base universal sleep recommendations for any age group. For example, sleep need is largely influenced by individual differences and culture (Middlemiss, Yaure, & Huey, 2015). Nonetheless, these factors conspire to make this both a rich and challenging field, which has contributed tremendously to our understanding of early development.

Sleep may be broadly characterized as an upstream regulator of cognitive processing. Polysomnography, the gold-standard for measuring sleep (Iber, Ancoli-Israel, Chesson, & Quan, 2007), is a multi-parametric assessment that includes, at a minimum, electroencephalography, electrooculography, and electromyography (EMG). Cardiorespiratory measures needed to identify sleep-disordered breathing include additional sensors to measure air flow, blood oxygenation, snoring, and respiratory effort. Proxy methods for quantifying sleep are also available. Scientific-grade accelerometers, or actigraphs, show varying adequacy for valid and reliable measurement of sleep/wake cycles in infants and toddlers (see Meltzer, Montgomery-Downs, Insana, & Walsh, 2012). However, it is important to note that open-market commercial devices have generally shown poor validity for sleep measurement and care should be taken to ensure that any

device used shows strong concurrent validity against the gold standard (for example, see Kolla, Mansukhani, & Mansukhani, 2016; Meltzer, Hiruma, Avis, Montgomery-Downs, & Valentin, 2015; Roomkham, Lovell, Cheung, & Perrin, 2018). Caregiver reports have also been investigated and reports of new techniques are frequently published (see Spruyt & Gozal, 2011a). Best practices in psychometric translation and validation performance should be required of any emerging subjective assessments (Spruyt & Gozal, 2011b). It is also worth noting that caregivers themselves are susceptible to sleep disturbances, which has a marked influence on episodic memory (Inostroza & Born, 2013), so retrospective reports (or those that caregivers can fill in retrospectively, regardless of instructions) may also be biased.

Parent–child interactions

The family environment provides important contexts for infant and toddler development. Positive parent–child interactions are critical for optimizing developmental outcomes in the areas of social-emotional and cognitive growth. Vygotsky's (1978) social constructionist theory proposes that all cognitive functions develop through social interactions, and studies have demonstrated that parent–child interactions do influence the course of cognitive development during infancy and childhood (e.g., Farrant & Reese, 2000; Tamis-LeMonda, Bornstein, & Baumwell, 2001; Vygotsky, 1978). A measure of parent–child interactions, as part of the overall assessment, could explain some of the variance in cognitive functioning across participants. The HOME scale (Caldwell & Bradley, 1984), NCAST (Barnard, 1978), Three Bags Task (NICHD ECCRN, 1999), and IGDI-PCI (Carta, Greenwood, Walker, & Buzhardt, 2010) are all parent–child interaction measures that have successfully used in previous large-scale studies of child development (Brito, Ryan, & Barr, 2014).

Communication is a major aspect of parent–child interactions and parental speech directed to young children is crucial for early child cognitive development. Language can help create emotional bonds between parent and infant, convey knowledge, and promote learning (Papousek, Papousek, & Bornstein, 1985; Thiessen, Hill, & Saffran, 2005). As the child begins to negotiate language, descriptive conversations between the dyad establish the foundation for complex dyadic interactions and contributes to later cognitive outcomes (Landry, Smith, & Swank, 2006). Observational studies of mother–infant interactions have shown that mothers who provide high levels of responsive verbal stimulation during parent–child interactions were more likely to have developmentally advanced infants (Bradley & Caldwell, 1977; Clarke-Stewart, 1973). Hart and Risley (1995) measured language usage during naturalistic interactions in 42 families from diverse demographic backgrounds over a period of 2½ years. Vast differences in words directed toward children (range 500–3000 words per hour) predicted child vocabulary size, expressive language and verbal sophistication, and IQ scores at age three (Hart & Risley, 1995, 1999). It is now possible to easily record the amount of language the child is exposed to on a typical day. The Language Environmental Analysis (LENA) is a 2.5-ounce device that fits inside specially designed clothing and continuously records the child's language environment. The data are uploaded and automatically analyzed by the LENA program software. Frequency of adult words, child vocalizations, and conversational turns, as well as age-based standard score and developmental ages are calculated. These measures are reliable and highly correlated with standardized assessments (Gilkerson & Richards, 2008; Marchman, Martinez, Hurtado, Grüter, & Fernald, 2017; Xu, Yapanel, & Gray, 2009).

Measuring parent–child interactions within semi-naturalistic laboratory settings or within the home environment may provide vital information regarding the amount of cognitive stimulation the child is exposed to and could help to explain associations between an intervention and cognitive outcomes (e.g., Adamson & Bakeman, 2006; Masur, 1987; Nomikou, Koke, & Rohlfing, 2017; Suanda, Smith, & Yu, 2016; Tamis-LeMonda, Kuchirko, & Tafuro, 2013). The use of “big data” in the bio-behavioral assessments of infants and toddlers using semi-naturalistic measurement is gaining traction within the developmental science field. This approach is best conducted with measurements made on multiple levels: high quality video and audio digitized recordings, tele-metric-based psychophysiological measures (e.g., heart rate and galvanic skin response), and mobile

eye-tracking. The method presents several technical challenges: measures must be temporally aligned and synchronized during the data acquisition session. Once these challenges are met, analysis of a simple parent–child interaction over 2 min has the potential to answer a variety of questions about a child’s developmental state. Among the practical reasons for a shift to semi-naturalistic measurement are that this “big data” collection strategy allows for use and re-use of the same participants to ask different questions (Adolph, Gilmore, Freeman, Sanderson, & Millman, 2012). Since the entire realm of behavior has been captured and is available in a digital format, it is possible (e.g., several years after the initial session) that an experimenter could return to the recording and code some other realm of behavior that was not initially quantified. This big data approach to semi-naturalistic measurement offers a rare opportunity to gather large data sets from toddlers’ groups that to-date have been a challenge for the developmental science community.

Conclusions

Although global, standardized instruments for the evaluation of developmental status of infants and toddlers have their place in early assessment, exclusively or predominantly relying on such tests for evaluating the effects of clinical trials or interventions may underestimate or miss specific effects on early cognition. In this review, we put forth plausible candidates for domain-based assessments of neurobehavioral development in toddlers that have been successfully used across a range of developmental psychology laboratories. Not all cognitive skills were able to be covered within this review. For example, intersensory or crossmodal perception is a vital aspect of early learning (Bahrick & Lickliter, 2000; Bahrick, Lickliter, & Castellanos, 2013) and related to a number of domains mentioned here (Bahrick, 2010; Bahrick, Lickliter, & Flom, 2004; Gogate, Maganti, & Perenyi, 2014). Another limitation of this review is that some domain-based tests are limited, as normative developmental trajectories and psychometric properties (validity, reliability, fidelity, and predictive validity) necessary for making clinical/health claims have not yet been well-established. Despite these limitations, however, the use of such domain-specific assessments may have great potential for increased sensitivity and specificity that may not be evident with more global measures, and for assessing constructs that are most relevant for cross-validation with preclinical animal models and extrapolation to cognitive outcomes later in childhood.

The sensitivity of specific measures of development may represent an advantage in research, but the use of non-standardized measures of behavioral development in studies of early developmental status and interventions present challenges for clinical trials. Regulatory authorities require scientific evidence of a high standard, and clinical studies provide the most robust evidence for regulatory needs. Clinical studies are essential for assessment of efficacy and potential benefit, as well as safety (adverse events). The responsibility rests with industry to adopt best practices for clinical studies, including measurement of specific outcomes (e.g., neurobehavioral assessment); studies intended to contribute to claims of efficacy in cognitive domains need to be designed and conducted with the expectation that they will be subject to independent expert review. Additionally, many of the paradigms and protocols outlined within this review have little or no norms associated with them. If these alternative tasks were to be included, a more concerted effort among labs to provide validity and reliability data would be needed.

Although there is no direct guidance from governmental regulators as to the criteria for considering the adequacy of outcome measures for clinical trials, the general criteria for the conduct of clinical studies are becoming widely accepted among scientific experts. The European Union (EU) system is the standard to which most of the world adheres, and so studies are typically designed to meet these standards. However, under the EU system, there is flexibility to design the claim around the cognitive domain that is under measurement, as long as the claim is consistent with the outcome measure. The European Food Safety Authority (EFSA) has only limited guidance on the scientific requirements for health-related claims in cognitive development (EFSA, 2012). The guidance refers to the use of “acceptable outcomes,” such as validated neurodevelopmental tests designed to assess

the specific domain(s) which is/are subject of the claim and appropriate to the age group being tested. Given the state of the art assessments of cognitive development available in infancy and toddlerhood, the list of acceptable outcomes provided by EFSA for claims in cognitive development seems inadequate, with an overreliance on global standardized assessments.

Assessment of early development requires several conceptual considerations in addition to the obvious practical and empirical issues that researchers typically address. First, development occurs in the context of social and biological processes that influence a toddler's functioning in complex ways across development. Current perspectives view development as characterized by cascades, whereby growth in one domain affects growth in other domains (Blair et al., 2015). A second important consideration for the assessment of development is that growth does not occur only in a linear, within-domain fashion. For example, it is quite likely that growth in the domain of emotion is causing growth in the domain of cognition, and vice versa (Calkins & Bell, 2010). Assessments of infant and toddler development would benefit from the inclusion of biological indicators of functioning and measures of the contextual influence on development, as well as a better understanding of how skills in one domain may impact other domains (e.g., attention and executive functioning). We hope that researchers interested in neurocognitive development are encouraged to use one of these domain-specific measures reviewed here that have been reliably used across our own studies as an alternative to or in conjunction with global standardized assessments in future studies with infants and toddlers. This would enable researchers to have alternative options to global outcomes, the capacity to pinpoint specific underlying mechanisms, and further investigate associations between early measures of neurocognitive functioning and later health and educational outcomes.

Acknowledgments

This paper was the result of a two-day workshop organized and sponsored by Mead Johnson Nutrition on the state of the art in assessment of neurodevelopment in infants and toddlers. The contents and its organization are solely the work of the authors and do not reflect any direct input from the sponsor.

ORCID

Natalie H. Brito  <http://orcid.org/0000-0003-1016-0094>

Susan Calkins  <http://orcid.org/0000-0001-7680-8266>

References

- Achenbach, T., & Rescorla, L. (2000). *Child behavior checklist for ages 1.5–5, and caregiver-teacher report form for ages 1.5–5 (CBCL 1.5–5, C-TRF)*. Florida, USA: Psychological Association Resources, Inc.
- Adamson, L. B., & Bakeman, R. (2006). Development of displaced speech in early mother–child conversations. *Child Development*, 77(1), 186–200. doi:10.1111/j.1467-8624.2006.00864.x
- Adolph, K. E., Gilmore, R. O., Freeman, C., Sanderson, P., & Millman, D. (2012). Toward open behavioral science. *Psychological Inquiry*, 23(3), 244–247.
- Akshoomoff, N., Newman, E., Thompson, W. K., McCabe, C., Bloss, C. S., Chang, L., ... Jernigan, T. L. (2014). The NIH toolbox cognition battery: Results from a large normative developmental sample (PING). *Neuropsychology*, 28(1), 1–10. doi:10.1037/neu0000001
- Alloway, T. P., & Alloway, R. G. (2010). Investigating the predictive roles of working memory and IQ in academic attainment. *Journal of Experimental Child Psychology*, 106(1), 20–29. doi:10.1016/j.jecp.2009.11.003
- Amso, D., & Johnson, S. P. (2006). Learning by selection: Visual search and object perception in young infants. *Developmental Psychology*, 42(6), 1236–1245. doi:10.1037/0012-1649.42.6.1236
- Anderson, P. J., de Luca, C. R., Hutchinson, E., Roberts, G., & Doyle, L. W. (2010). Underestimation of developmental delay by the new Bayley-III Scale. *Archives of Pediatrics & Adolescent Medicine*, 164(4), 352–356. doi:10.1001/archpediatrics.2010.20
- Aslin, R. N. (2007). What's in a look? *Developmental Science*, 10(1), 48–53. doi:10.1111/desc.2007.10.issue-1

- Axelsson, E. L., & Horst, J. S. (2014). Contextual repetition facilitates word learning via fast mapping. *Acta Psychologica*, 152, 95–99. doi:10.1016/j.actpsy.2014.08.002
- Bahrick, L. E. (2010). Intermodal perception and selective attention to intersensory redundancy: Implications for typical social development and autism. *Blackwell Handbook of Infant Development*, 1, 120–165.
- Bahrick, L. E., Gogate, L. J., & Ruiz, I. (2002). Attention and memory for faces and actions in infancy: The salience of actions over faces in dynamic events. *Child Development*, 73(6), 1629–1643.
- Bahrick, L. E., Hernandez-Reif, M., & Pickens, J. N. (1997). The effect of retrieval cues on visual preferences and memory in infancy: Evidence for a four-phase attention function. *Journal of Experimental Child Psychology*, 67(1), 1–20. doi:10.1006/jecp.1997.2399
- Bahrick, L. E., & Lickliter, R. (2000). Intersensory redundancy guides attentional selectivity and perceptual learning in infancy. *Developmental Psychology*, 36(2), 190–201. doi:10.1037/0012-1649.36.2.190
- Bahrick, L. E., Lickliter, R., & Castellanos, I. (2013). The development of face perception in infancy: Intersensory interference and unimodal visual facilitation. *Developmental Psychology*, 49(10), 1919. doi:10.1037/a0031238
- Bahrick, L. E., Lickliter, R., & Flom, R. (2004). Intersensory redundancy guides the development of selective attention, perception, and cognition in infancy. *Current Directions in Psychological Science*, 13(3), 99–102. doi:10.1111/j.0963-7214.2004.00283.x
- Bahrick, L. E., & Pickens, J. N. (1995). Infant memory for object motion across a period of three months: Implications for a four-phase attention function. *Journal of Experimental Child Psychology*, 59(3), 343–371. doi:10.1006/jecp.1995.1017
- Ballieux, H., Tomalski, P., Kushnerenko, E., Johnson, M. H., Karmiloff-Smith, A., & Moore, D. G. (2015). Feasibility of undertaking off-site infant eye-tracking assessments of neuro-cognitive functioning in early-intervention centers. *Infant and Child Development*. doi:10.1002/icd.1914
- Barnard, K. (1978). *Nursing child assessment satellite training: Learning resources manual*. Seattle: University of Washington.
- Barr, R., & Brito, N. (2014). Wiley-Blackwell handbook on the development of children's memory. In P. Bauer & R. Fivush (Eds.), *From specificity to flexibility: Developmental changes during infancy* (pp. 453–479). Chichester: John Wiley and Sons, UK.
- Barr, R., Dowden, A., & Hayne, H. (1996). Developmental changes in deferred imitation by 6- to 24-month-old infants. *Infant Behavior and Development*, 19, 159–170. doi:10.1016/S0163-6383(96)90015-6
- Barr, R., Walker, J., Gross, J., & Hayne, H. (2014). Age-related changes in spreading activation during infancy. *Child Development*, 85(2), 549–563. doi:10.1111/cdev.12163
- Bates, E., & Goodman, J. C. (1997). On the inseparability of grammar and the lexicon: Evidence from acquisition, aphasia and real-time processing. *Language and Cognitive Processes*, 12(5–6), 507–584. Retrieved from <<http://GotoISI://WOS:000071701700002>>
- Bayley, N. (1969). *Scales of infant development. Manual*. New York, NY: The psychological Corporation.
- Bayley, N. (2006). *Bayley scales of infant and toddler development*. 3rd ed. Antonio, TX: The Psychological Corporation.
- Beebe, B., & Lachmann, F. M. (2013). *The origins of attachment: Infant research and adult treatment* (Vol. 60). Routledge: London, UK.
- Bell, M. A. (2012). A psychobiological perspective on working memory performance at 8 months of age. *Child Development*, 83(1), 251–265. doi:10.1111/j.1467-8624.2011.01684.x
- Bell, M. A., & Cuevas, K. (2012). Using EEG to study cognitive development: Issues and practices. *Journal of Cognition and Development*, 13, 281–294. doi:10.1080/15248372.2012.691143
- Benasich, A. A., Gou, Z., Choudhury, N., & Harris, K. D. (2008). Early cognitive and language skills are linked to resting frontal gamma power across the first 3 years. *Behavioural Brain Research*, 195, 215–222. doi:10.1016/j.bbr.2008.08.049
- Bergelson, E., & Swingle, D. (2012). At 6–9 months, human infants know the meanings of many common nouns. *Proceedings of the National Academy of Sciences*, 109(9), 3253–3258. doi:10.1073/pnas.1113380109
- Best, J. R., & Miller, P. H. (2010). A developmental perspective on executive function. *Child Development*, 81(6), 1641–1660. doi:10.1111/j.1467-8624.2010.01499.x
- Best, J. R., Miller, P. H., & Jones, L. L. (2009). Executive functions after age 5: Changes and correlates. *Developmental Review*, 29(3), 180–200. doi:10.1016/j.dr.2009.05.002
- Beyerlein, A., Hadders-Algra, M., Kennedy, K., Fewtrell, M., Singhal, A., Rosenfeld, E., ... von Kries, R. (2010). Infant formula supplementation with long-chain polyunsaturated fatty acids has no effect on Bayley developmental scores at 18 months of age-IPD meta-analysis of 4 large clinical trials. *Journal of Pediatric Gastroenterology and Nutrition*, 50(1), 79–84. doi:10.1097/MPG.0b013e3181acae7d
- Bierman, K. L., Torres, M. M., Domitrovich, C. E., Welsh, J. A., & Gest, S. D. (2009). Behavioral and cognitive readiness for school: Cross-domain associations for children attending head start. *Social Development*, 18(2), 305–323. doi:10.1111/j.1467-9507.2008.00490.x
- Bion, R. A. H., Borovsky, A., & Fernald, A. (2013). Fast mapping, slow learning: Disambiguation of novel word-object mappings in relation to vocabulary learning at 18, 24, and 30 months. *Cognition*, 126(1), 39–53. doi:10.1016/j.cognition.2012.08.008

- Blair, B. L., Perry, N. B., O'Brien, M., Calkins, S. D., Keane, S. P., & Shanahan, L. (2015). Identifying developmental cascades among differentiated dimensions of social competence and emotion regulation. *Developmental Psychology*, 51(8), 1062. doi:10.1037/a0039472
- Blair, C., & Peters, R. (2003). Physiological and neurocognitive correlates of adaptive behavior in preschool among children in head start. *Developmental Neuropsychology*, 24(1), 479–497. doi:10.1207/S15326942dn2401_04
- Blair, C., & Razza, R. P. (2007). Relating effortful control, executive function, and false belief understanding to emerging math and literacy ability in kindergarten. *Child Development*, 78(2), 647–663. doi:10.1111/j.1467-8624.2007.01019.x
- Blakey, E., Visser, I., & Carroll, D. J. (2016). Different executive functions support different kinds of cognitive flexibility: Evidence from 2-, 3-, and 4-year-olds. *Child Development*, 87(2), 513–526. doi:10.1111/cdev.12468
- Blandon, A. Y., Calkins, S. D., Keane, S. P., & O'Brien, M. (2008). Individual differences in trajectories of emotion regulation processes: The effects of maternal depressive symptomatology and children's physiological regulation. *Developmental Psychology*, 44(4), 1110–1123. doi:10.1037/0012-1649.44.4.1110
- Bradley, R. H., & Caldwell, B. M. (1977). Home observation for measurement of the environment: A validation study of screening efficiency. *American Journal of Mental Deficiency*, 81:417–420.
- Briggs-Gowan, M. J., Carter, A. S. (2002). *Brief Infant-Toddler Social and Emotional Assessment (BITSEA) manual, version 2.0*. New Haven, CT: Yale University.
- Brito, N., Ryan, R., & Barr, R. (2014). *Methods for assessing parent-child interactions in large-scale studies* (Vol. 2, pp. 147–189). *Handbook of Research Method on Early Childhood Education*. Mahwah, NJ: Lawrence Erlbaum Associates.
- Brito, N. H., Fifer, W. P., Myers, M. M., Elliott, A. J., & Noble, K. G. (2016). Associations among family socioeconomic status, EEG power at birth, and cognitive skills during infancy. *Developmental Cognitive Neuroscience*, 19, 144–151. doi:10.1016/j.dcn.2016.03.004
- Brito, N. H., Grenell, A., & Barr, R. (2014). Specificity of the bilingual advantage for memory: Examining cued recall, generalization, and working memory in monolingual, bilingual, and trilingual toddlers. In *Frontiers in psychology* (pp. 5). <https://www.frontiersin.org/articles/10.3389/fpsyg.2014.01369/full>
- Brownell, C. A., & Kopp, C. B. (2007). Transitions in toddler socioemotional development: Behavior, understanding, relationships. In C. A. Brownell, & C. B. Kopp (Eds.), *Socioemotional development in the toddler years* (pp. 1–42). New York: Guilford.
- Bull, R., Espy, K. A., & Wiebe, S. A. (2008). Short-term memory, working memory, and executive functioning in preschoolers: Longitudinal predictors of mathematical achievement at age 7 years. *Developmental Neuropsychology*, 33(3), 205–228. doi:10.1080/87565640801982312
- Burbacher, T. M., & Grant, K. S. (2012). Measuring infant memory: Utility of the visual paired-comparison test paradigm for studies in developmental neurotoxicology. *Neurotoxicology and Teratology*, 34(5), 473–480. doi:10.1016/j.ntt.2012.06.003
- Burt, K. B., Obradovic, J., Long, J. D., & Masten, A. S. (2008). The interplay of social competence and psychopathology over 20 years: Testing transactional and cascade models. *Child Development*, 79(2), 359–374. doi:10.1111/j.1467-8624.2007.01130.x
- Buss, A. T., & Spencer, J. P. (2014). The emergent executive: A dynamic field theory of the development of executive function. *Monographs of the Society for Research in Child Development*, 79(2), vii, 1–103. doi:10.1002/mono.12096
- Caldwell, B. M., & Bradley, R. H. (1984). *Home observation for measurement of the environment*. Little Rock, AR: University of Arkansas at Little Rock.
- Calkins, S. D. (1997). Cardiac vagal tone indices of temperamental reactivity and behavioral regulation in young children. *Developmental Psychobiology*, 31(2), 125–135.
- Calkins, S. D., & Bell, M. A. E. (2010). *Child development at the intersection of emotion and cognition*. American Psychological Association. Washington, DC
- Calkins, S. D., & Dedmon, S. E. (2000). Physiological and behavioral regulation in two-year-old children with aggressive/destructive behavior problems. *Journal of Abnormal Child Psychology*, 28(2), 103–118. doi:10.1023/A:1005112912906
- Calkins, S. D., Graziano, P. A., Berdan, L. E., Keane, S. P., & Degnan, K. A. (2008). Predicting cardiac vagal regulation in early childhood from maternal-child relationship quality during toddlerhood. *Developmental Psychobiology*, 50(8), 751–766. doi:10.1002/dev.20344
- Carlson, S. E., & Werkman, S. H. (1996). A randomized trial of visual attention of preterm infants fed docosahexaenoic acid until two months. *Lipids*, 31(1), 85–90. doi:10.1007/Bf02522416
- Carlson, S. M. (2005). Developmentally sensitive measures of executive function in preschool children. *Developmental Neuropsychology*, 28(2), 595–616. doi:10.1207/s15326942dn2802_3
- Carroll, D. J., Blakey, E., & FitzGibbon, L. (2016). Cognitive flexibility in young children: Beyond perseveration. *Child Development Perspectives*, 10(4). doi:10.1111/cdep.12192
- Carta, J. J., Greenwood, C., Walker, D., & Buzhardt, J. (2010). *Using IGDIs: Monitoring progress and improving intervention for infants and young children*. Baltimore, MD: Paul H. Brookes.

- Carter, A. S., Briggs-Gowan, M. J., & David, N. O. (2004). Assessment of young children's social-emotional development and psychopathology: Recent advances and recommendations for practice. *Journal of Child Psychology and Psychiatry*, 45(1), 109–134. doi:10.1046/j.0021-9630.2003.00316.x
- Christiansen, M. H., & Chater, N. (2016). *Creating language: Integrating evolution, acquisition, and processing*. Cambridge, MA: MIT Press.
- Clark, C. A. C., Pritchard, V. E., & Woodward, L. J. (2010). Preschool executive functioning abilities predict early mathematics achievement. *Developmental Psychology*, 46(5), 1176–1191. doi:10.1037/a0019672
- Clarke-Stewart, K. A. (1973). Interactions between mothers and their young children: Characteristics and consequences. *Monographs of the society for research in child development*, 38, 6–7. .
- Colombo, J. (1993). *Infant cognition: Predicting later intellectual functioning* (Vol. 5). Newbury Park, CA: Sage publications.
- Colombo, J. (2001). The development of visual attention in infancy. *Annual Review of Psychology*, 52, 337–367. doi:10.1146/annurev.psych.52.1.337
- Colombo, J., Carlson, S. E., Cheatham, C. L., Fitzgerald-Gustafson, K. M., Kepler, A., & Doty, T. (2011). Long-chain polyunsaturated fatty acid supplementation in infancy reduces heart rate and positively affects distribution of attention. *Pediatric Research*, 70(4), 406–410. doi:10.1203/PDR.0b013e31822a59f5
- Colombo, J., & Cheatham, C. L. (2006). The emergence and basis of endogenous attention in infancy and early childhood. In R.Kail (Ed.), *Advances in child development and behavior* Academic Press, New York (Vol. 34, pp. 283–322). JAI.
- Colombo, J., Kannass, K. N., Shaddy, D. J., Kundurthi, S., Maikranz, J. M., Anderson, C. J., ., ... Carlson, S. E. (2004A). Maternal DHA and the development of attention in infancy and toddlerhood. *Child Development*, 75(4), 1254–1267. doi:10.1111/j.1467-8624.2004.00737.x
- Colombo, J., Shaddy, D. J., Blaga, O. M., Anderson, C. J., Kannass, K. N., & Richman, W. A. (2009). Early attentional predictors of vocabulary in childhood. In J. Colombo, P. McCardle, & L. Freund (Eds.), *Infant pathways to language* (pp. 143–168). New York: Psychology Press.
- Colombo, J., Shaddy, D. J., Richman, W. A., Maikranz, J. M., & Blaga, O. M. (2004b). The developmental course of habituation in infancy and preschool outcome. *Infancy*, 5(1), 1–38. doi:10.1207/s15327078in0501_1
- Cuevas, K., & Bell, M. A. (2014). Infant attention and early childhood executive function. *Child Development*, 85(2), 397–404. doi:10.1111/cdev.12126
- Cuevas, K., Deater-Deckard, K., Kim-Spoon, J., Wang, Z., Morasch, K. C., & Bell, M. A. (2014). A longitudinal intergenerational analysis of executive functions during early childhood. *British Journal of Developmental Psychology*, 32(1), 50–64. doi:10.1111/bjdp.12021
- Cuevas, K., Watson, A. J., Deater-Deckard, K., & Bell, M. A. (2012). Bio-social contributors to early executive function: A longitudinal analysis. *Developmental Psychobiology*, 54(7), 751.
- Denham, S. A. (1998). *Emotional development in young children*. Guilford Press, New York.
- Denham, S. A., & Couchoud, E. A. (1990). Young preschoolers' understanding of emotions. *Child Study Journal*, 20(3), 171–192.
- Diamond, A. (2013). Executive functions. *Annual Review of Psychology*, 64, 135. doi:10.1146/annurev-psych-113011-143750
- Diamond, A., Prevor, M. B., Callender, G., & Druin, D. P. (1997). Prefrontal cortex cognitive deficits in children treated early and continuously for PKU. *Monographs of the Society for Research in Child Development*, 62 (4).
- Drover, J., Hoffman, D. R., Castaneda, Y. S., Morale, S. E., & Birch, E. E. (2009). Three randomized controlled trials of early long-chain polyunsaturated fatty acid supplementation on means-end problem solving in 9-month-olds. *Child Development*, 80(5), 1376–1384. doi:10.1111/j.1467-8624.2009.01339.x
- EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA); Guidance on the scientific requirements for health claims related to functions of the nervous system, including psychological functions. *EFSA Journal* 2012; 10(7):2816. doi:10.2903/j.efsa.2012.2816.
- Eichenbaum, H. (1997). Declarative memory: Insights from cognitive neurobiology. *Annual Review of Psychology*, 48 (1), 547–572. doi:10.1146/annurev.psych.48.1.547
- Eisenberg, N., Fabes, R. A., Karbon, M., Murphy, B. C., Wosinski, M., Polazzi, L., ... Juhnke, C. (1996). The relations of children's dispositional prosocial behavior to emotionality, regulation, and social functioning. *Child Development*, 67(3), 974–992.
- Eisenberg, N., Fabes, R. A., Murphy, B., Maszk, P., Smith, M., & Karbon, M. (1995). The role of emotionality and regulation in children's social functioning: A longitudinal study. *Child Development*, 66(5), 1360–1384.
- Elman, J. L. (2004). An alternative view of the mental lexicon. *Trends in Cognitive Sciences*, 8(7), 301–306. doi:10.1016/j.tics.2004.05.003
- Fagan, J. F., Holland, C. R., & Wheeler, K. (2007). The prediction, from infancy, of adult IQ and achievement. *Intelligence*, 35(3), 225–231. doi:10.1016/j.intell.2006.07.007
- Fagen, J. W., & Ohr, P. S. (1990). Individual differences in infant conditioning and memory. In J. Colombo & J.W. Fagen (Eds.), *Individual differences in infancy* (pp. 155–192). Hillsdale, NJ: Lawrence Erlbaum Associates, Inc.

- Farrant, K., & Reese, E. (2000). Maternal style and children's participation in reminiscing: Stepping stones in children's autobiographical memory development. *Journal of Cognition and Development*, 1(2), 193–225. doi:[10.1207/S15327647JCD010203](https://doi.org/10.1207/S15327647JCD010203)
- Feldman, H. M., Dollaghan, C. A., Campbell, T. F., Kurs-Lasky, M., Janosky, J. E., & Paradise, J. L. (2000). Measurement properties of the MacArthur communicative development inventories at ages one and two years. *Child Development*, 71, 310–322. doi:[10.1111/cdev.2000.71.issue-2](https://doi.org/10.1111/cdev.2000.71.issue-2)
- Fenson, L., Dale, P. S., Reznick, J. S., Bates, E., Thal, D. J., Pethick, S. J., ... Stiles, J. (1994). Variability in early communicative development. *Monographs of the Society for Research in Child Development*, 59, 5. doi:[10.2307/1166093](https://doi.org/10.2307/1166093)
- Fernald, A., Pinto, J. P., Swingle, D., Weinberg, A., & McRoberts, G. W. (1998). Rapid gains in speed of verbal processing by infants in the 2nd year. *Psychological Science*, 9(3), 228–231. doi:[10.1111/1467-9280.00044](https://doi.org/10.1111/1467-9280.00044)
- Fernald, A., Zangl, R., Portillo, A. L., & Marchman, V. A. (2008). Looking while listening: using eye movements to monitor spoken language comprehension by infants and young children.
- Fifer, W. P., Byrd, D. L., Kaku, M., Eigsti, I. M., Isler, J. R., Grose-Fifer, J., ... Balsam, P. D. (2010). Newborn infants learn during sleep. *Proceedings of the National Academy of Sciences of the United States of America*, 107(22), 10320–10323. doi:[10.1073/pnas.1005061107](https://doi.org/10.1073/pnas.1005061107)
- Fillmore, P. T., Richards, J. E., Phillips-Meek, M. C., Cryer, A., & Stevens, M. (2015). Stereotaxic magnetic resonance imaging brain atlases for infants from 3 to 12 months. *Developmental Neuroscience*, 37(6), 515–532. doi:[10.1159/000438749](https://doi.org/10.1159/000438749)
- Friend, M., & Keplinger, M. (2003). An infant-based assessment of early lexicon acquisition. *Behavior Research Methods, Instruments, & Computers*, 35(2), 302–309. doi:[10.3758/BF03202556](https://doi.org/10.3758/BF03202556)
- Friend, M., & Keplinger, M. (2008). Reliability and validity of the Computerized Comprehension Task (CCT): Data from American English and Mexican Spanish infants. *Journal of Child Language*, 35(1), 77–98. doi:[10.1017/S0305000907008264](https://doi.org/10.1017/S0305000907008264)
- Garon, N., Bryson, S. E., & Smith, I. M. (2008). Executive function in preschoolers: A review using an integrative framework. *Psychological Bulletin*, 134(1), 31. doi:[10.1037/0033-2909.134.1.31](https://doi.org/10.1037/0033-2909.134.1.31)
- Gerhardstein, P., Adler, S. A., & Rovee-Collier, C. (2000). A dissociation in infants' memory for stimulus size: Evidence for the early development of multiple memory systems. *Developmental Psychobiology*, 36(2), 123–135.
- Gershon, R. C., Wagster, M. V., Hendrie, H. C., Fox, N. A., Cook, K. F., & Nowinski, C. J. (2013). NIH toolbox for assessment of neurological and behavioral function. *Neurology*, 80(11 Supplement 3), S2–S6. doi:[10.1212/WNL.0b013e3182872e5f](https://doi.org/10.1212/WNL.0b013e3182872e5f)
- Gilkerson, J., & Richards, J. A. (2008). The LENA foundation natural language study. *LENA Technical Report: LTR-02-2*. Retrieved May 20, 2013, from www.lenafoundation.org/TechReport.aspx/Natural_Language_Study/LTR-02-2.
- Gogate, L., & Maganti, M. (2016). The dynamics of infant attention: Implications for crossmodal perception and word-mapping research. *Child Development*, 87(2), 345–364. doi:[10.1111/cdev.12509](https://doi.org/10.1111/cdev.12509)
- Gogate, L., Maganti, M., & Perenyi, A. (2014). Preterm and term infants' perception of temporally coordinated syllable–Object pairings: Implications for lexical development. *Journal of Speech, Language, and Hearing Research*, 57(1), 187–198. doi:[10.1044/1092-4388\(2013/12-0403](https://doi.org/10.1044/1092-4388(2013/12-0403)
- Gogate, L. J., Walker-Andrews, A. S., & Bahrick, L. E. (2001). The intersensory origins of word-comprehension: An ecological–Dynamic systems view. *Developmental Science*, 4(1), 1–18. doi:[10.1111/desc.2001.4.issue-1](https://doi.org/10.1111/desc.2001.4.issue-1)
- Goldsmith, H. (1996). Studying temperament via construction of the toddler behavior assessment questionnaire. *Child Development*, 67(1), 218–235.
- Goldsmith, H., & Rothbart, M. (1999). *The laboratory temperament assessment battery (Locomotor Version 3.1)*. Madison, WI: University of Wisconsin-Madison.
- Golinkoff, R., de Villiers, J. G., Hirsh-Pasek, K., Iglesias, A., & Wilson, M. S. (2017). *User's manual for the Quick Interactive Language Screener ((QUILS(TM)) a measure of vocabulary, syntax, and language acquisition skills in young children*. Baltimore: Md. Paul H. Brookes Publishing Co, Maryland, USA.
- Gómez, R. L., & Edgin, J. O. (2015). Sleep as a window into early neural development: Shifts in sleep-dependent learning effects across early childhood. *Child Development Perspectives*, 9(3), 183–189. doi:[10.1111/cdep.12130](https://doi.org/10.1111/cdep.12130)
- Gordon, K. R., & McGregor, K. K. (2014). A spatially supported forced-choice recognition test reveals children's long-term memory for newly learned word forms. *Frontiers in Psychology*, 5. doi:[10.3389/fpsyg.2014.00164](https://doi.org/10.3389/fpsyg.2014.00164)
- Gou, Z., Choudhury, N., & Benasich, A. A. (2001). Resting frontal gamma power at 16, 24 and 36 months predicts individual differences in language and cognition at 4 and 5 years. *Behavioural Brain Research*, 220, 263–270. doi:[10.1016/j.bbr.2011.01.048](https://doi.org/10.1016/j.bbr.2011.01.048)
- Gou, Z., Choudhury, N., & Benasich, A. A. (2011). Resting frontal gamma power at 16, 24 and 36 months predicts individual differences in language and cognition at 4 and 5 years. *Behavioural Brain Research*, 220(2), 263–270. doi:[10.1016/j.bbr.2011.01.048](https://doi.org/10.1016/j.bbr.2011.01.048)
- Graziano, P. A., Calkins, S. D., & Keane, S. P. (2011). Sustained attention development during the toddlerhood to preschool period: Associations with toddlers' emotion regulation strategies and maternal behaviour. *Infant and Child Development*, 20(6), 389–408. doi:[10.1002/icd.731](https://doi.org/10.1002/icd.731)

- Halberda, J. (2003). The development of a word-learning strategy. *Cognition*, 87, B23–B34. Core Mechanisms of Word Learning, 127. doi:[10.1016/S0010-0277\(02\)00186-5](https://doi.org/10.1016/S0010-0277(02)00186-5).
- Hart, B., & Risley, T. R. (1995). *Meaningful differences in the everyday experience of young American children*. Baltimore, MD: Paul H Brookes Publishing.
- Hart, B., & Risley, T. R. (1999). *The social world of children: Learning to talk* (pp. 21285–21624). Baltimore, MD: Paul H. Brookes Publishing Co.
- Hayne, H. (2006). Age-related changes in infant memory retrieval: Implications for knowledge acquisition. In Y. Munakata & J.H. Johnson (Eds.), *Processes of Change in Brain and Cognitive Development: Attention and Performance Xxi*, 209–231. Oxford: Oxford University Press.
- Hendrickson, K., Mitsven, S., Poulin-Dubois, D., Zesiger, P., & Friend, M. (2015). Looking and touching: What extant approaches reveal about the structure of early word knowledge. *Developmental Science*, 18, 723–735. doi:[10.1111/desc.12250](https://doi.org/10.1111/desc.12250)
- Henriksen, C., Haugholt, K., Lindgren, M., Aurvag, A. K., Ronnestad, A., Gronn, M., ... Drevon, C. A. (2008). Improved cognitive development among preterm infants attributable to early supplementation of human milk with docosahexaenoic acid and arachidonic acid. *Pediatrics*, 121(6), 1137–1145. doi:[10.1542/peds.2007-1511](https://doi.org/10.1542/peds.2007-1511)
- Hoff, E. (2006). How social contexts support and shape language development. *Developmental Review*, 26(1), 55–88. doi:[10.1016/j.dr.2005.11.002](https://doi.org/10.1016/j.dr.2005.11.002)
- Howse, R. B., Calkins, S. D., Anastopoulos, A. D., Keane, S. P., & Shelton, T. L. (2003). Regulatory contributors to children's kindergarten achievement. *Early Education and Development*, 14(1), 101–120. doi:[10.1207/s15566935eed1401_7](https://doi.org/10.1207/s15566935eed1401_7)
- Huber, R., & Born, J. (2014). Sleep, synaptic connectivity, and hippocampal memory during early development. *Trends in Cognitive Sciences*, 18(3), 141–152. doi:[10.1016/j.tics.2013.12.005](https://doi.org/10.1016/j.tics.2013.12.005)
- Huffman, L. C., Bryan, Y. E., Del Carmen, R., Pedersen, F. A., Doussard-Roosevelt, J. A., & Porges, S. W. (1998, Jun). Infant temperament and cardiac vagal tone: Assessments at twelve weeks of age. *Child Development*, 69(3), 624–635.
- Hughes, C., & Ensor, R. (2005). Executive function and theory of mind in 2 year olds: A family affair? *Developmental Neuropsychology*, 28(2), 645–668. doi:[10.1207/s15326942dn2802_5](https://doi.org/10.1207/s15326942dn2802_5)
- Ibbotson, P., & Tomasello, M. (2016). Evidence rebuts Chomsky's theory of language learning. *Scientific American*, 315, 5.
- Iber, C., Ancoli-Israel, S., Chesson, A. L., Jr., & Quan, S. F. (2007). *The AASM manual for the scoring of sleep and associated events: rules terminology and technical specifications* (1st ed.). Westchester, IL: AASM.
- Inostroza, M., & Born, J. (2013). Sleep for preserving and transforming episodic memory. *Annual Review of Neuroscience*, 36(36), 79–102. doi:[10.1146/annurev-neuro-062012-170429](https://doi.org/10.1146/annurev-neuro-062012-170429)
- Isler, J. R., Tarullo, A. R., Grieve, P. G., Housman, E., Kaku, M., Stark, R. I., & Fifer, W. P. (2012). Toward an electrocortical biomarker of cognition for newborn infants. *Developmental Science*, 15(2), 260–271. doi:[10.1111/j.1467-7687.2011.01122.x](https://doi.org/10.1111/j.1467-7687.2011.01122.x)
- Jacobson, S. W. (1998). Specificity of neurobehavioral outcomes associated with prenatal alcohol exposure. *Alcoholism Clinical and Experimental Research*, 22(2), 313–320. doi:[10.1111/j.1530-0277.1998.tb03654.x](https://doi.org/10.1111/j.1530-0277.1998.tb03654.x)
- Jacobson, S. W., Fein, G. G., Jacobson, J. L., Schwartz, P. M., & Dowler, J. K. (1985). The effect of intrauterine PCB exposure on visual recognition memory. *Child Development*, 56(4), 853–860. doi:[10.1111/j.1467-8624.1985.tb00158.x](https://doi.org/10.1111/j.1467-8624.1985.tb00158.x)
- Jacobson, S. W., Jacobson, J. L., Sokol, R. J., Martier, S. S., & Ager, J. W. (1993). Prenatal alcohol exposure and infant information-processing ability. *Child Development*, 64(6), 1706–1721. doi:[10.1111/j.1467-8624.1993.tb04208.x](https://doi.org/10.1111/j.1467-8624.1993.tb04208.x)
- Johnson, M. H., & Vecera, S. P. (1996). Cortical differentiation and neurocognitive development: The parcellation conjecture. *Behavioral Processes*, 36(2), 195–212.
- Jones, L. B., Rothbart, M. K., & Posner, M. I. (2003). Development of executive attention in preschool children. *Developmental Science*, 6(5), 498–504. doi:[10.1111/1467-7687.00307](https://doi.org/10.1111/1467-7687.00307)
- Jones, S. S. (2003). Late talkers show no shape bias in a novel name extension task. *Developmental Science*, 6(5), 477–483. doi:[10.1111/desc.2003.6.issue-5](https://doi.org/10.1111/desc.2003.6.issue-5)
- Jones, W., & Klin, A. (2013). Attention to eyes is present but in decline in 2–6-month-old infants later diagnosed with autism. *Nature*, 504, 427–431. doi:[10.1038/nature12715](https://doi.org/10.1038/nature12715)
- Judge, M. P., Harel, O., & Lammi-Keefe, C. J. (2007). Maternal consumption of a docosahexaenoic acid-containing functional food during pregnancy: Benefit for infant performance on problem-solving but not on recognition memory tasks at age 9 mo. *American Journal of Clinical Nutrition*, 85(6), 1572–1577. doi:[10.1093/ajcn/85.6.1572](https://doi.org/10.1093/ajcn/85.6.1572)
- Kalashnikova, M., Escudero, P., & Kidd, E. (2018, Aug). The development of fast-mapping and novel word retention strategies in monolingual and bilingual infants. *Developmental Science*, 21, e12674. doi:[10.1111/desc.12674](https://doi.org/10.1111/desc.12674)
- Kaldy, Z., Kraper, C., Carter, A. S., & Blaser, E. (2011). Toddlers with autism spectrum disorder are more successful at visual search than typically developing toddlers. *Developmental Science*, 14(5), 980–988. doi:[10.1111/j.1467-7687.2011.01053.x](https://doi.org/10.1111/j.1467-7687.2011.01053.x)
- Kannass, K., Colombo, J., & Carlson, S. (2009). Maternal DHA levels and toddler free-play attention. *Developmental Neuropsychology*, 34(2), 159–174. Pii 909290198. doi:[10.1080/87565640802646734](https://doi.org/10.1080/87565640802646734)
- Karmiloff-Smith, A. (1994). Precis of beyond modularity: A developmental perspective on cognitive science. *Behavioral and Brain Sciences*, 17(04), 693–707. doi:[10.1017/S0140525X00036621](https://doi.org/10.1017/S0140525X00036621)

- Karmiloff-Smith, A. (2012). From constructivism to neuroconstructivism: The activity-dependent structuring of the human brain. *After Piaget*, 1, 1.
- Kochanska, G., & Knaack, A. (2003). Effortful control as a personality characteristic of young children: Antecedents, correlates, and consequences. *Journal of Personality*, 71(6), 1087–1112. doi:10.1111/1467-6494.7106008
- Kochanska, G., Murray, K. T., & Harlan, E. T. (2000). Effortful control in early childhood: Continuity and change, antecedents, and implications for social development. *Developmental Psychology*, 36(2), 220–232. doi:10.1037/0012-1649.36.2.220
- Kolla, B. P., Mansukhani, S., & Mansukhani, M. P. (2016). Consumer sleep tracking devices: A review of mechanisms, validity and utility. *Expert Review of Medical Devices*, 13, 497–506. doi:10.1586/17434440.2016.1171708
- Kucker, S. C., McMurray, B., & Samuelson, L. K. (2015a). Slowing down fast mapping: redefining the dynamics of word learning. *Child Development Perspectives*, 9(2), 74–78. doi:10.1111/cdep.12110
- Kucker, S. C., McMurray, B., & Samuelson, L. K. (2015b). Word learning from uncertainty in vocabulary knowledge. *Poster presented at the Biennial Meeting of the Society for Research in Child Development*, Philadelphia, PA.
- Kucker, S. C., McMurray, B., & Samuelson, L. K. (2018). Too much of a good thing: How novelty biases and vocabulary influence known and novel referent selection in 18-month-old children and associative learning models. *Cognitive Science*, 42 Suppl 2, 463–493. doi:10.1111/cogs.12610
- Kucker, S. C., & Samuelson, L. K. (2012). The first slow step: Differential effects of object and word-form familiarization on retention of fast-mapped words. *Infancy*, 17(3), 229–232. doi:10.1111/j.1532-7078.2011.00081.x
- Kusche, C., Greenberg, M., & Beilke, B. (1988). The Kusche affective interview. Unpublished manuscript, University of Washington, Seattle, WA. doi:10.3168/jds.S0022-0302(88)79586-7
- Landau, B., Smith, L. B., & Jones, S. S. (1988). The importance of shape in early lexical learning. *Cognitive Development*, 3(3), 299–321. doi:10.1016/0885-2014(88)90014-7
- Landry, S. H., Smith, K. E., & Swank, P. R. (2006). Responsive parenting: Establishing early foundations for social, communication, and independent problem-solving skills. *Developmental Psychology*, 42(4), 627. doi:10.1037/0012-1649.42.4.627
- Liew, J. (2012). Effortful control, executive functions, and education: Bringing self-regulatory and social-emotional competencies to the table. *Child Development Perspectives*, 6(2), 105–111. doi:10.1111/cdep.2012.6.issue-2
- Linemeyer, S. A., & Porges, S. W. (1986). Recognition memory and cardiac vagal tone in 6-month-old infants. *Infant Behavior & Development*, 9(1), 43–56. doi:10.1016/0163-6383(86)90037-8
- Lorenz, Mattis, & Samuelson, (2016). Online processing during noun generalization. *Poster session presented at the International Congress on Infant Studies*, New Orleans, LA.
- Lushington, K., Pamula, Y., Martin, J., & Kennedy, J. D. (2013). *Developmental changes in sleep: Infancy and preschool years*. Oxford University Press, Oxford, UK.
- Marchman, V. A., Martínez, L. Z., Hurtado, N., Grüter, T., & Fernald, A. (2017). Caregiver talk to young Spanish-English bilinguals: Comparing direct observation and parent-report measures of dual-language exposure. *Developmental Science*, 20, 1. doi:10.1111/desc.12425
- Marcovitch, S., Leigh, J., Calkins, S. D., Leerks, E. M., O'Brien, M., & Blankson, A. N. (2010). Moderate vagal withdrawal in 3.5-year-old children is associated with optimal performance on executive function tasks. *Developmental Psychobiology*, 52(6), 603–608. doi:10.1002/dev.20462
- Marshall, P. J., Bar-Haim, Y., & Fox, N. A. (2002). Development of the EEG from 5 months to 4 years of age. *Clinical Neurophysiology*, 113, 1199–1208. doi:10.1016/S1388-2457(02)00163-3
- Marshall, P. J., Reeb, B. C., Fox, N. A., Nelson, C. A., & Zeanah, C. H. (2008). Effects of early intervention on EEG power and coherence in previously institutionalized children in Romania. *Developmental Psychopathology*, 20, 861–880. doi:10.1017/S0954579408000412
- Masur, E. F. (1987). Imitative interchanges in a social context: Mother-infant matching behavior at the beginning of the second year. *Merrill-Palmer quarterly*, 33(4), 453–472.
- Mayor, J., & Plunkett, K. (2011). A statistical estimate of infant and toddler vocabulary size from CDI analysis. *Developmental Science*, 14(4), 769–785. doi:10.1111/j.1467-7687.2010.01024.x
- McCall, R. B., & Carriger, M. S. (1993). A meta-analysis of infant habituation and recognition memory performance as predictors of later IQ. *Child Development*, 64(1), 57–79.
- McClelland, M. M., & Cameron, C. E. (2011). Self-regulation and academic achievement in elementary school children. *Thriving in Childhood and Adolescence: the Role of Self-Regulation Processes*, 133, 29–44. doi:10.1002/cd.302
- McClelland, M. M., & Cameron, C. E. (2012). Self-regulation in early childhood: Improving conceptual clarity and developing ecologically valid measures. *Child Development Perspectives*, 6(2), 136–142. doi:10.1111/j.1750-8606.2011.00191.x
- McMurray, B. (2016). Nature, nurture or interacting developmental systems? Endophenotypes for learning systems bridge genes, language and development. *Language, Cognition and Neuroscience*, 31, 9, 1093–1097. doi:10.1080/23273798.2016.1227859
- McNamara, R. K., Able, J., Jandacek, R., Rider, T., Tso, P., Eliassen, J. C., ... DelBello, M. P. (2010). Docosahexaenoic acid supplementation increases prefrontal cortex activation during sustained attention in healthy boys: A

- placebo-controlled, dose-ranging, functional magnetic resonance imaging study. *The American Journal of Clinical Nutrition*, 91(4), 1060–1067. doi:[10.3945/ajcn.2009.28549](https://doi.org/10.3945/ajcn.2009.28549)
- Meltzer, L. J., Hiruma, L. S., Avis, K., Montgomery-Downs, H., & Valentin, J. (2015). Comparison of a commercial accelerometer with polysomnography and actigraphy in children and adolescents. *Sleep*, 38(8), 1323–1330. doi:[10.5665/sleep.4918](https://doi.org/10.5665/sleep.4918)
- Meltzer, L. J., Montgomery-Downs, H. E., Insana, S. P., & Walsh, C. M. (2012). Use of actigraphy for assessment in pediatric sleep research. *Sleep Medicine Reviews*, 16(5), 463–475. doi:[10.1016/j.smrv.2011.10.002](https://doi.org/10.1016/j.smrv.2011.10.002)
- Messinger, D. S., Mattson, W. I., Todd, J. T., Gangi, D. N., Myers, N. D., & Bahrack, L. E. (2017). Temporal dependency and the structure of early looking. *PloS one*, 12(1), e0169458. doi:[10.1371/journal.pone.0169458](https://doi.org/10.1371/journal.pone.0169458)
- Middlemiss, W., Yaure, R., & Huey, E. L. (2015). Translating research-based knowledge about infant sleep into practice. *Journal of the American Association of Nurse Practitioners*, 27(6), 328–337. doi:[10.1002/2327-6924.12159](https://doi.org/10.1002/2327-6924.12159)
- Miller, S. E., & Marcovitch, S. (2015). Examining executive function in the second year of life: Coherence, stability, and relations to joint attention and language. *Developmental Psychology*, 51(1), 101–114. doi:[10.1037/a0038359](https://doi.org/10.1037/a0038359)
- Miyake, A., & Friedman, N. P. (2012). The nature and organization of individual differences in executive functions: Four general conclusions. *Current Directions in Psychological Science*, 21(1), 8–14. doi:[10.1177/0963721411429458](https://doi.org/10.1177/0963721411429458)
- Miyake, A., Friedman, N. P., Emerson, M. J., Witzki, A. H., Howerter, A., & Wager, T. D. (2000). The unity and diversity of executive functions and their contributions to complex “frontal lobe” tasks: A latent variable analysis. *Cognitive Psychology*, 41(1), 49–100. doi:[10.1006/cogp.1999.0734](https://doi.org/10.1006/cogp.1999.0734)
- Moffitt, T. E., Arseneault, L., Belsky, D., Dickson, N., Hancox, R. J., Harrington, H., ... Caspi, A. (2011). A gradient of childhood self-control predicts health, wealth, and public safety. *Proceedings of the National Academy of Sciences of the United States of America*, 108(7), 2693–2698. doi:[10.1073/pnas.1010076108](https://doi.org/10.1073/pnas.1010076108)
- Molfese, D. L., Morse, P. A., & Peters, C. J. (1990). Auditory evoked responses to names for different objects: Cross-modal processing as a basis for infant language acquisition. *Developmental Psychology*, 26(5), 780. doi:[10.1037/0012-1649.26.5.780](https://doi.org/10.1037/0012-1649.26.5.780)
- Montgomery-Downs, H. E. (2008). *Normal sleep development in infants and toddlers. Sleep and psychiatric disorders in children and adolescents* (pp. 11–21). New York, NY: Informa Healthcare USA, Inc.
- Moore, T., Johnson, S., Haider, S., Hennessy, E., & Marlow, N. (2012). Relationship between test scores using the second and third editions of the Bayley scales in extremely preterm children. *The Journal of Pediatrics*, 160(4), 553–558. doi:[10.1016/j.jpeds.2011.09.047](https://doi.org/10.1016/j.jpeds.2011.09.047)
- Morasch, K. C., & Bell, M. A. (2011). The role of inhibitory control in behavioral and physiological expressions of toddler executive function. *Journal of Experimental Child Psychology*, 108(3), 593–606. doi:[10.1016/j.jecp.2010.07.003](https://doi.org/10.1016/j.jecp.2010.07.003)
- Morgan, K., & Hayne, H. (2006). The effect of encoding time on retention by infants and young children. *Infant Behavior and Development*, 29(4), 599–602. doi:[10.1016/j.infbeh.2006.07.009](https://doi.org/10.1016/j.infbeh.2006.07.009)
- Mouton-Simien, P., McCain, A. P., & Kelley, M. L. (1997). The development of the toddler behavior screening inventory. *Journal of Abnormal Child Psychology*, 25(1), 59–64.
- Neisser, U. (1969). Role of rhythm in active verbal memory - serial intrusions. *American Journal of Psychology*, 82(4), 540. doi:[10.2307/1420447](https://doi.org/10.2307/1420447)
- Nomikou, I., Koke, M., & Rohlfing, K. J. (2017). Verbs in mothers' input to six-month-olds: Synchrony between presentation, meaning, and actions is related to later verb acquisition. *Brain Sciences*, 7(12), 52. doi:[10.3390/brainsci7050052](https://doi.org/10.3390/brainsci7050052)
- NICHD Early Child Care Research Network (1999). Chronicity of maternal depressive symptoms, maternal sensitivity, and child functioning at 36 months. *Developmental Psychology*, 35, 1297–1310.
- Oakes, L. M. (2010). Using habituation of looking time to assess mental processes in infancy. *Journal of Cognition and Development*, 11(3), 255–268. doi:[10.1080/15248371003699977](https://doi.org/10.1080/15248371003699977)
- Oakes, L. M. (2017). Plasticity may change inputs as well as processes, structures, and responses. *Cognitive Development*, 42, 4–14.
- Papousek, M., Papousek, H., & Bornstein, M. H. (1985). The naturalistic vocal environment of young infants: On the significance of homogeneity and variability in parental speech. In T. M. Field & N. A. Fox (Eds.), *Social perception in infants* (pp. 269–297). Norwood, NJ: Ablex
- Perry, L. K., & Samuelson, L. K. (2011). The shape of the vocabulary predicts the shape of the bias. *Frontiers in Psychology*, 2. doi:[10.3389/fpsyg.2011.00345](https://doi.org/10.3389/fpsyg.2011.00345)
- Petersen, I. T., Hoyniak, C. P., McQuillan, M. E., Bates, J. E., & Staples, A. D. (2016). Measuring the development of inhibitory control: The challenge of heterotypic continuity. *Developmental Review*, 40, 25–71. doi:[10.1016/j.dr.2016.02.001](https://doi.org/10.1016/j.dr.2016.02.001)
- Petersen, S. E., & Posner, M. I. (2012). The attention system of the human brain: 20 years after. *Annual Review of Neuroscience*, 35(35), 73–89. doi:[10.1146/annurev-neuro-062111-150525](https://doi.org/10.1146/annurev-neuro-062111-150525)
- Piaget, J. (1954). The construction of reality in the child. In Kegan Paul (Ed.) (pp. 44–66). New York, NY: Routledge.
- Piaget, J. (1962). The relation of affectivity to intelligence in the mental development of the child. *Bulletin of the Menninger Clinic*, 26(3), 129.

- Pisani, F., Copioli, C., Di Gioia, C., Turco, E., & Sisti, L. (2008). Neonatal seizures: Relation of ictal video-electroencephalography (EEG) findings with neurodevelopmental outcome. *Journal of Child Neurology*, 23, 394–398.
- Pomper, & Saffran. (2018). *Familiar object salience affects novel word learning*, *Child Development (early online)*. doi:[10.1111/cdev.13053](https://doi.org/10.1111/cdev.13053)
- Posner, M. I., & Rothbart, M. K. (2000). Developing mechanisms of self-regulation. *Development and Psychopathology*, 12(03), 427–441.
- Posner, M. I., & Rothbart, M. K. (2007). Research on attention networks as a model for the integration of psychological science. *Annual Review of Psychology*, 58, 1–23.
- Qawasmi, A., Landeros-Weisenberger, A., Leckman, J. F., & Bloch, M. H. (2012). Meta-analysis of long-chain polyunsaturated fatty acid supplementation of formula and infant cognition. *Pediatrics*, 129(6), 1141–1149.
- Richards, J., & Casey, B. (1990). Infant visual recognition memory performance as a function of heart rate defined phases of attention. *Infant Behavior and Development*, 13, 585.
- Richards, J. E. (1985). The development of sustained visual attention in infants from 14 to 26 weeks of age. *Psychophysiology*, 22, 409–416.
- Richards, J. E. (1987). Infant visual sustained attention and respiratory sinus arrhythmia. *Child Development*, 58, 488–496.
- Richards, J. E., & Casey, B. J. (1991). Heart-rate-variability during attention phases in young infants. *Psychophysiology*, 28(1), 43–53. doi:[10.1111/j.1469-8986.1991.tb03385.x](https://doi.org/10.1111/j.1469-8986.1991.tb03385.x)
- Richards, J. E., Reynolds, G. D., & Courage, M. L. (2010). The neural bases of infant attention. *Current Directions in Psychological Science*, 19, 41–46.
- Richards, J. E., Sanchez, C., Phillips-Meek, M., & Xie, W. (2016). A database of age-appropriate average MRI templates. *Neuroimage* 124, 1254–1259.
- Richards, J. E., & Xie, W. (2015). Chapter one-brains for all the ages: Structural neurodevelopment in infants and children from a life-span perspective. *Advances in Child Development and Behavior*, 48, 1–52.
- Riggins, T., Cheatham, C. L., Stark, E., & Bauer, P. J. (2013). Elicited imitation performance at 20 months predicts memory abilities in school-aged children. *Journal of Cognition and Development*, 14(4), 593–606. doi:[10.1080/15248372.2012.689392](https://doi.org/10.1080/15248372.2012.689392)
- Roembke, T. C., & McMurray, B. (2016). Observational word learning: Beyond propose-but-verify and associative bean counting. *Journal of Memory and Language*, 87, 105–127.
- Roomkham, S., Lovell, D., Cheung, J., & Perrin, D. (2018). Promises and challenges in the use of consumer-grade devices for sleep monitoring. *IEEE Reviews in Biomedical Engineering*, 11, 53–67.
- Rose, S. A., & Feldman, J. F. (1997). Memory and speed: Their role in the relation of infant information processing to later IQ. *Child Development*, 68(4), 630–641.
- Rose, S. A., Feldman, J. F., & Jankowski, J. J. (2001). Attention and recognition memory in the 1st year of life: A longitudinal study of preterm and full-term infants. *Developmental Psychology*, 37(1), 135.
- Rose, S. A., Feldman, J. F., & Jankowski, J. J. (2002). Processing speed in the 1st year of life: A longitudinal study of preterm and full-term infants. *Developmental Psychology*, 38(6), 895.
- Rose, S. A., Feldman, J. F., & Jankowski, J. J. (2004). Infant visual recognition memory. *Developmental Review*, 24(1), 74–100.
- Rose, S. A., Feldman, J. F., & Jankowski, J. J. (2005). Recall memory in the first three years of life: A longitudinal study of preterm and term children. *Developmental Medicine & Child Neurology*, 47(10), 653–659. doi:[10.1017/S0012162205001349](https://doi.org/10.1017/S0012162205001349)
- Rose, S. A., Feldman, J. F., & Jankowski, J. J. (2009). Information processing in toddlers: Continuity from infancy and persistence of preterm deficits. *Intelligence*, 37(3), 311–320.
- Rose, S. A., Feldman, J. F., & Jankowski, J. J. (2012). Implications of infant cognition for executive functions at age 11. *Psychological Science*, 23(11), 1345–1355.
- Rose, S. A., Feldman, J. F., Jankowski, J. J., & Rossem, R. (2005). Pathways from prematurity and infant abilities to later cognition. *Child Development*, 76(6), 1172–1184.
- Rose, S. A., Feldman, J. F., Jankowski, J. J., & Van Rossem, R. (2012). Information processing from infancy to 11 years: Continuities and prediction of IQ. *Intelligence*, 40(5), 445–457. doi:[10.1016/j.intell.2012.05.007](https://doi.org/10.1016/j.intell.2012.05.007)
- Rose, S. A., Gottfried, A. W., & Bridger, W. H. (1978). Cross-modal transfer in infants - relationship to prematurity and socioeconomic background. *Developmental Psychology*, 14(6), 643–652.
- Rose, S. A., Gottfried, A. W., & Bridger, W. H. (1978). Cross-modal transfer in infants: Relationship to prematurity and socioeconomic background. *Developmental Psychology*, 14(6), 643. doi:[10.1037/0012-1649.14.6.643](https://doi.org/10.1037/0012-1649.14.6.643)
- Ross-Sheehy, S., Schneegans, S., & Spencer, J. P. (2015). The infant orienting with attention task: Assessing the neural basis of spatial attention in infancy. In *Infancy*, 20(5), 467–506.
- Rovee-Collier, C., & Barr, R. (2001). Infant cognition. In Ed.(H. Pashler), (Series Ed.; J. Wixted, Vol. Ed.), *Stevens' handbook of experimental psychology* (3rd ed., Vol 4, pp. 693–791): Methodology. New York, NY: Wiley
- Rovee-Collier, C., & Barr, R. (2010). Infant learning and memory. In J. G. Bremner & T. Wachs (Eds.), *Blackwell handbook of infant development* (2nd ed., pp. 271–294). Chichester, UK: Wiley-Blackwell.

- Saby, J. N., & Marshall, P. J. (2012). The utility of EEG band power analysis in the study of infancy and early childhood. *Developmental Neuropsychology*, 37, 253–273.
- Salsman, J. M., Butt, Z., Pilkonis, P. A., Cyranowski, J. M., Zill, N., Hendrie, H. C., ... Cella, D. (2013). Emotion assessment using the NIH toolbox. *Neurology*, 80(11 Supplement 3), S76–S86. doi:10.1212/WNL.0b013e3182872e11
- Samuelson, L. K. (2002). Statistical regularities in vocabulary guide language acquisition in connectionist models and 15–20-month-olds. *Developmental Psychology*, 38(6), 1016–1037. doi:10.1037//0012-1649.38.6.1016
- Samuelson, L. K., & Horst, J. S. (2008). Confronting complexity: Insights from the details of behavior over multiple timescales. *Developmental Science*, 11(2), 209–215. doi:10.1111/j.1467-7687.2007.00667.x
- Samuelson, L. K., & McMurray, B. (2016). What does it take to learn a word? *WIREs Cognitive Science*. doi:10.1002/wcs.1421
- Samuelson, L. K., Schutte, A. R., & Horst, J. S. (2009). The dynamic nature of knowledge: Insights from a dynamic field model of children's novel noun generalization. *Cognition*, 110(3), 322–345. doi:10.1016/j.cognition.2008.10.017
- Samuelson, L. K., Smith, L. B., Perry, L. K., & Spencer, J. P. (2011). Grounding word learning in space. *PloS one*, 6(12). doi:10.1371/journal.pone.0028095
- Sandhofer, C. M., Smith, L. B., & Luo, J. (2000). Counting nouns and verbs in the input: Differential frequencies, different kinds of learning? *Journal of Child Language*, 27(3), 561–585. doi:10.1017/S0305000900004256
- Scerif, G., Cornish, K., Wilding, J., Driver, J., & Karmiloff-Smith, A. (2004). Visual search in typically developing toddlers and toddlers with Fragile X or Williams syndrome. *Developmental Science*, 7(1), 116–130.
- Scerif, G., Karmiloff-Smith, A., Campos, R., Elsabbagh, M., Driver, J., & Cornish, K. (2005). To look or not to look? Typical and atypical development of oculomotor control. *Journal of Cognitive Neuroscience*, 17(4), 591–604.
- Schafer, G., & Plunkett, K. (1998). Rapid word learning by fifteen-month-olds under tightly controlled conditions. *Child Development*, 69(2), 309–320. doi:10.2307/1132166
- Silberstein, R. B., Song, J., Nunez, P. L., & Park, W. (2004). Dynamic sculpting of brain functional connectivity is correlated with performance. *Brain Topography*, 16, 249–254.
- Simmer, K., Patole, S. K., & Rao, S. C. (2011). Longchain polyunsaturated fatty acid supplementation in infants born at term. In *The cochrane library*.
- Smith, L. B. (2013). It's all connected: Pathways in visual object recognition and early noun learning. *American Psychologist*, 68(8), 618.
- Smith, L. B., Jones, S. S., & Landau, B. (1996). Naming in young children: A dumb attentional mechanism? *Cognition*, 60(2), 143–171. doi:10.1016/0010-0277(96)00709-3
- Smith, L. B., Jones, S. S., Landau, B., Gershkoff-Stowe, L., & Samuelson, L. (2002). Object name learning provides on-the-job training for attention. *Psychological Science*, 13(1), 13–19. doi:10.1111/1467-9280.00403
- Soja, N. N. (1992). Inferences about the meanings of nouns - the relationship between perception and syntax. *Cognitive Development*, 7(1), 29–45. doi:10.1016/0885-2014(92)90003-A
- Spruyt, K., & Gozal, D. (2011a). Development of pediatric sleep questionnaires as diagnostic or epidemiological tools: A brief review of dos and don'ts. *Sleep Medicine Reviews*, 15(1), 7–17.
- Spruyt, K., & Gozal, D. (2011b). Pediatric sleep questionnaires as diagnostic or epidemiological tools: A review of currently available instruments. *Sleep Medicine Reviews*, 15(1), 19–32.
- Squire, L. R., & Zola, S. M. (1996). Structure and function of declarative and nondeclarative memory systems. *Proceedings of the National Academy of Sciences of the United States of America*, 93(24), 13515–13522. doi:10.1073/pnas.93.24.13515
- Squires, J., Bricker, D., & Twombly, E. (2002). *The ASQ: SE user's guide: For the Ages & Stages Questionnaires: Social-emotional*. Baltimore, MD: Paul H Brookes Publishing.
- St Clair-Thompson, H. L., & Gathercole, S. E. (2006). Executive functions and achievements in school: Shifting, updating, inhibition, and working memory. *The Quarterly Journal of Experimental Psychology*, 59(4), 745–759.
- Strid, K., Tjus, T., Smith, L., Meltzoff, A. N., & Heimann, M. (2006). Infant recall memory and communication predicts later cognitive development. *Infant Behavior and Development*, 29(4), 545–553.
- Suanda, S. H., Smith, L. B., & Yu, C. (2016). The multisensory nature of verbal discourse in parent–toddler interactions. *Developmental Neuropsychology*, 41(5–8), 324–341.
- Tamis-LeMonda, C. S., Bornstein, M. H., & Baumwell, L. (2001). Maternal responsiveness and children's achievement of language milestones. *Child Development*, 72(3), 748–767.
- Tamis-LeMonda, C. S., Kuchirko, Y., & Tafuro, L. (2013). From action to interaction: Infant object exploration and mothers' contingent responsiveness. *IEEE Transactions on Autonomous Mental Development*, 5(3), 202–209.
- Tanenhaus, M. K., Spiveyknowlton, M. J., Eberhard, K. M., & Sedivy, J. C. (1995). Integration of visual and linguistic information in spoken language comprehension. *Science*, 268(5217), 1632–1634. doi:10.1126/science.7777863
- Thatcher, R. W., North, D., & Biver, C. (2005). EEG and intelligence: Relations between EEG coherence, EEG phase delay and power. *Clinical Neurophysiology*, 116(9), 2129–2141.
- Thelen, E., Schöner, G., Scheier, C., & Smith, L. B. (2001). The dynamics of embodiment: A field theory of infant perseverative reaching. *Behavioral and Brain Sciences*, 24(1), 1–34.
- Thiessen, E. D., Hill, E. A., & Saffran, J. R. (2005). Infant-directed speech facilitates word segmentation. *Infancy*, 7(1), 53–71.

- Tierney, A. L., Gabard-Durnam, L., Vogel-Farley, V., Tager-Flusberg, H., & Nelson, C. A. (2012). Developmental trajectories of resting EEG power: An endophenotype of autism spectrum disorder. *PloS one*, 7, e39127.
- Tomasello, M., & Mervis, C. B. (1994). The instrument is great, but measuring comprehension is still a problem. *Monographs of the Society for Research in Child Development*, 59(5), 174–179.
- Tronick, E. (2007). *The neurobehavioral and social-emotional development of infants and children*. WW Norton & Company, New York, NY.
- Twomey, K. E., Ranson, S. L., & Horst, J. S. (2014). That's more like it: Multiple exemplars facilitate word learning. *Infant and Child Development*, 23(2), 105–122.
- Uzgiris, I. C., & Hunt, J. (1975). *Assessment in infancy: Ordinal scales of psychological development*. Champaign: University of Illinois Press.
- Vaisman, N., Kaysar, N., Zaruk-Adasha, Y., Pelled, D., Brichon, G., Zwingelstein, G., & Bodennec, J. (2008). Correlation between changes in blood fatty acid composition and visual sustained attention performance in children with inattention: Effect of dietary n-3 fatty acids containing phospholipids. *American Journal of Clinical Nutrition*, 87(5), 1170–1180.
- Vygotsky, L. (1978). Interaction between learning and development. *Readings on the Development of Children*, 23(3), 34–41.
- Webster, M. J., & Ungerleider, L. G. (1998). Neuroanatomy of visual attention. In R. Parasuraman (Ed.), *The attentive brain* (pp. 19–34). Cambridge, MA: The MIT Press.
- Weintraub, S., Dikmen, S. S., Heaton, R. K., Tulsky, D. S., Zelazo, P. D., Bauer, P. J., ... Gershon, R. C. (2013). Cognition assessment using the NIH toolbox. *Neurology*, 80(11 Supplement 3), S54–S64.
- Werkman, S. H., & Carlson, S. E. (1996). A randomized trial of visual attention of preterm infants fed docosahexaenoic acid until nine months. *Lipids*, 31(1), 91–97. doi:10.1007/Bf02522417
- Westerberg, A. C., Henriksen, C., Ellingvag, A., Veierod, M. B., Juliusson, P. B., Nakstad, B., ... Drevon, C. A. (2010). First year growth among very low birth weight infants. *Acta Paediatrica*, 99(4), 556–562. doi:10.1111/j.1651-2227.2009.01667.x
- Wiebe, S. A., Espy, K. A., & Charak, D. (2008). Using confirmatory factor analysis to understand executive control in preschool children: I. Latent structure. *Developmental Psychology*, 44(2), 575.
- Willatts, P., Forsyth, J. S., DiModugno, M. K., Varma, S., & Colvin, M. (1998). Influence of long-chain polyunsaturated fatty acids on infant cognitive function. *Lipids*, 33(10), 973–980. doi:10.1007/s11745-998-0294-7
- Williams, I. A., Tarullo, A. R., Grieve, P. G., Wilpers, A., Vignola, E. F., Myers, M. M., & Fifer, W. P. (2012). Fetal cerebrovascular resistance and neonatal EEG predict 18-month neurodevelopmental outcome in infants with congenital heart disease. *Ultrasound in Obstetrics and Gynecology*, 40, 304–309.
- Woodward, A. L., Markman, E. M., & Fitzsimmons, C. M. (1994). rapid word learning in 13-month-olds and 18-month-olds. *Developmental Psychology*, 30(4), 553–566. doi:10.1037//0012-1649.30.4.553
- Xu, D., Yapanel, U., & Gray, S. (2009). Reliability of the LENATM language environment analysis system in young children's natural home environment. *LENA Foundation Technical Report LTR-05-02*. Retrieved from <http://www.lenafoundation.org/TechReport.aspx/Reliability/LTR-05-2>
- Yu, C., Zhong, Y., & Fricker, D. (2012). Selective attention in cross-situational statistical learning: Evidence from eye tracking. *Frontiers in Psychology*, 3, 148.
- Zelazo, P. D., Anderson, J. E., Richler, J., Wallner-Allen, K., Beaumont, J. L., & Weintraub, S. (2013). II. NIH toolbox Cognition Battery (CB): Measuring executive function and attention. *Monographs of the Society for Research in Child Development*, 78(4), 16–33.
- Zhou, Q., Chen, S. H., & Main, A. (2012). Commonalities and differences in the research on children's effortful control and executive function: A call for an integrated model of self-regulation. *Child Development Perspectives*, 6(2), 112–121. doi:10.1111/j.1750-8606.2011.00176